VOLUME 47 • AUTHOR INDEX

Ackroyd R *see* Kelty C and Ackroyd R
Ackroyd R *et al*. Photodynamic therapy for dysplastic Barrett's oesophagus: a prospective, double blind, randomised, placebo controlled trial, **612**
Adham M *see* Bizollon T *et al*
Ahmed SNS *see* Bizollon T *et al*
Ahnen DJ *see* Shahrier M and Ahnen DJ
Alderson DA *see* Arul GS *et al*
Ali H *et al*. Stimulation of colorectal cancer cell line growth by ET-1 and its inhibition by ET_A antagonists, **685**
Allen-Mersh TG *see* Miao YM *et al*
Almer S *see* Lesage S *et al*
Amin Z *see* Miao YM *et al*
Anderson DC *see* Salas A *et al*
Ang Y *see* Farrell RJ *et al*
Antibodies GRCA *see* Cataldo F *et al*
Anton P *see* Goode T *et al*
Anton PA *see* Chang L *et al*
Aoki S *see* Takagi Y *et al*
Appelmelk BJ, Vandenbroucke-Grauls CMJE. *H pylori* and Lewis antigens : *commentary*, **10**
Appleby P *see* Danesh J *et al*
Arisawa T *see* Shinkai M *et al*
Arnold J *see* Iino H *et al*
Arnold R *see* Blum AL *et al*
Arul GS *et al*. Mucin gene expression in Barrett's oesophagus: an in situ hybridisation and immunohistochemical study, **753**
Arul S *see* Corfield AP *et al*
Aspinall RJ, Lemoine NR. Suicide and the not-so-innocent bystander: *commentary*, **327**
Aspinall RJ *et al*. Liver biopsy under ultrasound control: *letter*, **455**
Atherton JC *see* Danesh J *et al*
Atherton JC. CagA: a role at last: *science alert*, **330**
Attoub S *see* Sobhani I *et al*
Auber F *see* Sarnacki S *et al*
Aureggi G *see* Manara L *et al*
Axon A. Natural history of early gastric cancer: *commentary*, **609**

Babidge WJ *see* Roediger WE and Babidge WJ
Baccante G *see* di Sebastiano P *et al*
Badawi AF *see* Povey AC *et al*
Bado A *see* Sobhani I *et al*
Bajaj-Elliott M *see* Heuschkel RB *et al*
Baldas V *et al*. Development of a novel rapid non-invasive screening test for coeliac disease, **628**
Baranov V *see* Yeung MM-W *et al*
Barillari G *see* Baldas V *et al*
Barnard GF *see* Etoh T *et al*
Barnes E *see* Dusheiko G *et al*
Barnett C *see* Harford WV *et al*
Barranco C *see* López-Ferrer A *et al*
Barry BN *see* Corbett EJ *et al*
Barthel B *see* von Lampe B *et al*
Barthelemy C *see* Hernandez-Blazquez FJ *et al*
Baulieux J *see* Bizollon T *et al*
Baumgarten R *see* von Baehr V *et al*
Beales ILP *et al*. Acid secretion in *H pylori* associated enlarged fold gastritis: *letter*, **313**
Beaugrand M *see* Degos F *et al*
Beck NE *see* Kim HC *et al*
Beger HG *see* Mayer J *et al*
Beil W *see* Mix H *et al*
Bell CMJ *see* Gatta G *et al*
Bell H *see* Distante S *et al*
Bellamy MC *see* Corbett EJ *et al*
Benchaib M *see* Hernandez-Blazquez FJ *et al*
Bendall RP *see* Levine DF *et al*
Benhamou Y *see* Zylberberg H *et al*
Benicke M *see* Tannapfel A *et al*
Benjamin MA *et al*. Glucagon-like peptide-2 enhances intestinal epithelial barrier function of both transcellular and paracellular pathways in the mouse, **112**
Bennett JR. Informed consent: *letter*, **455**
Bennett MA *see* Jass JR *et al*
Berasain C *et al*. Pathological and virological findings in patients with persistent hypertransaminasaemia of unknown aetiology, **429**
Berg JP *see* Distante S *et al*
Berger F *see* Dumortier J *et al*
Bergmann H *see* Stacher G *et al*
Bergström R *see* Lagergren J *et al*
Berlanga-Acosta J *see* Calnan DP *et al*
Bernstein CN *see* Chang L *et al*
Berstad A. Functional dyspepsia—a conceptual framework, **3**
Berti I *see* Baldas V *et al*
Betés M *see* Berasain C *et al*
Bharucha AE *et al*. Effects of a serotonin 5-HT_4 receptor antagonist SB-207266 on gastrointestinal motor and sensory function in humans, **667**
Bhatia M *et al*. Treatment with neutralising antibody against cytokine induced neutrophil chemoattractant (CINC) protects rats against acute pancreatitis associated lung injury, **838**
Biesterfeld S *see* Häusler M *et al*
Binder V *see* Lesage S *et al*
Bischoff SC *see* Helwig U *et al*
Bizollon T *et al*. Anti-hepatitis C virus core IgM antibodies correlate with hepatitis C recurrence and its severity in liver transplant patients, **698**
Bjarnason I *see* Sigthorsson G *et al*
see Tibble J *et al*
Blaser MJ *see* Harford WV *et al*
Blendis L *see* Jalan R *et al*
Blum AL *see* Pescatore P *et al*
Blum AL *et al*. Short course acid suppressive treatment for patients with functional dyspepsia: results depend on *Helicobacter pylori* status, **473**
Blum S *see* Haller D *et al*
Bochet M *see* Zylberberg H *et al*
Bode C *see* Haller D *et al*
see Parlesak A *et al*
Bode JC *see* Parlesak A *et al*
Bodmer WF *see* Kim HC *et al*
see Wheeler JMD *et al*
Boillot O *see* Dumortier J *et al*
Bolognese J *see* Sigthorsson G *et al*
Bomzon A *see* Ljubuncic P *et al*
Book reviews Gibson GR, Roberfroid MB, *editors*. Colonic Microbiota, Nutrition and Health, **741**
Guelrud M, Carr-Locke DL, Fox VL. ERCP in pediatric practice: diagnosis and treatment, **158**
Hodgson HJF, Boulton R, Cousins C, *et al*, *editors*. A colour handbook of gastroenterology, **599**
Katcher BS, *editor*. Medline: A Guide to Effective Searching, **871**
Keighley MRB, Williams NS, *editors*. Surgery of the anus, rectum and colon, **458**
Kennedy A, Robinson D, *eds*. What Should I Do? Ulcerative Colitis Health Management Guide, **599**
MacDonald TT, *editor*. Mucosal T cells, **157**
Michelassi F, Milsom JW, *editors*. Operative strategies in inflammatory bowel disease, **457**
Olbe L, *editor*. Proton pump inhibitors, **316**
Porro GI, *editor*. Gastroenterology and hepatology, **458**
Sanderson IR, Allan Walker W, *eds*. Development of the Gastrointestinal Tract, **599**
Van Dam J, Sivak MV, *editors*. Gastrointestinal endosonography, **157**
Walker-Smith J, Murch S, *authors*. Diseases of the small intestine in childhood, **457**
Wolfe MM, Cohen S, Davis GL, *et al*, *editors*. Therapy of digestive disorders, **457**
Boorman J *see* Jones J *et al*
Borchard F *see* Schlemper RJ *et al*
Borgaonkar MR, Irvine EJ. Quality of life measurement in gastrointestinal and liver disorders: *review*, **444**
Bouhnik Y *et al*. Very late onset small intestinal B cell lymphoma associated with primary intestinal lymphangiectasia and diffuse cutaneous warts, **296**
Bourreille A *see* Segain J-P *et al*
Bours V *see* Lechanteur C *et al*
Brabant G *see* Mix H *et al*
Bradbury A *see* Baldas V *et al*
Brady M *see* Bhatia M *et al*
Bramble MG *see* Gillen D *et al*
Brandslund I *see* Nielsen JN *et al*
Brassart D *see* Liévin V *et al*
Braun J *see* Poulain D *et al*
Brealey J *see* Keefe DMK *et al*
Bréchot C *see* Zylberberg H *et al*
Brensing KA *et al*. Long term outcome after transjugular intrahepatic portosystemic stent-shunt in non-transplant cirrhotics with hepatorenal syndrome: a phase II study, **288**
Bridger S *see* Tibble J *et al*
Brieger A *see* Trojan J *et al*
British Society of Gastroenterology *see* Goddard AF *et al*
Brookes SJH *see* Costa M *et al*
Brousse N *see* Sarnacki S *et al*
Brown JL. Interferon therapy reduces the risk for hepatocellular carcinoma, **610**
Brown NJ *see* Ackroyd R *et al*
Bruce S *et al*. Informed consent: *letter*, **455**
Brunetti E *see* Filice C *et al*
Bruno R *see* Filice C *et al*

Brusco G *see* Clemente MG *et al*
Buchler MW *see* di Sebastiano P *et al*
Bueno L. Neuroimmune alterations of ENS functioning, **63**
Burn P *see* Miao YM *et al*
Burton D *see* Bharucha AE *et al*
Buyse M *see* Sobhani I *et al*

Cabré E *see* Mallolas J *et al*
Calnan DP *et al*. Potency and stability of C terminal truncated human epidermal growth factor, **622**
Camby C *see* Sarnacki S *et al*
Cameron H *see* Benjamin MA *et al*
Camilleri M *see* Bharucha AE *et al*
Cammarota G *et al*. Is there any relationship between IEL and lymphoid follicles in the gastric mucosa?: *letter*, **314**
Campbell F *see* Bhatia M *et al*
Campieri M *see* Helwig U *et al*
Cann P *see* Jones J *et al*
Capocaccia R *see* Gatta G *et al*
Caprilli R *see* Frieri G *et al*
Carlstedt I *see* López-Ferrer A *et al*
Carmel R *see* Cohen H *et al*
Casson DH *et al*. Topical tacrolimus may be effective in the treatment of oral and perineal Crohn's disease, **436**
Cataldo F *et al*. IgG_1 antiendomysium and IgG antitissue transglutaminase (anti-tTG) antibodies in coeliac patients with selective IgA deficiency, **366**
Cats A *et al*. Acute *Fasciola hepatica* infection attributed to chewing khat: *review*, **584**
Cavazzana-Calvo M *see* Sarnacki S *et al*
Cavicchi M *et al*. Inhibition of inducible nitric oxide synthase in the human intestinal epithelial cell line, DLD-1, by the inducers of heme oxygenase 1, bismuth salts, heme, and nitric oxide donors, **771**
Cawkwell L *see* Jass JR *et al*
Cayla C *see* Schaak S *et al*
Cerf-Bensussan N *see* Sarnacki S *et al*
Cervero F. Visceral pain—central sensitisation, **56**
Chaix M-L *see* Zylberberg H *et al*
Chamaillard M *see* Lesage S *et al*
Chan CC *see* Stallmach A *et al*
Chang H-C *see* Yu M-W *et al*
Chang L *et al*. Perceptual responses in patients with inflammatory and functional bowel disease, **497**
Chen C-J *see* Yu M-W *et al*
Chen JWC *et al*. Sphincter of Oddi dysfunction produces acute pancreatitis in the possum, **539**
Chen P-J *see* Yu M-W *et al*
Chevallier P *see* Bizollon T *et al*
Chevret S *see* Degos F *et al*
Chiba T *see* de A Nishioka S *et al*
Chikano S *et al*. IL-18 and IL-12 induce intestinal inflammation and fatty liver in mice in an IFN-γ dependent manner, **779**
Cho CH *see* Ma L *et al*
Chow JYC *see* Ma L *et al*
Christensen E *see* Ransford R *et al*
Christidis C *see* Degos F *et al*
Christmas SE *see* Bhatia M *et al*
Chung B *see* Hardin J *et al*
Civeira M-P *see* Berasain C *et al*
Clare M *see* O'Donohue J *et al*
Claudel-Bonvoisin S *see* Dumortier J *et al*
Clemente MG *et al*. Immune reaction against the cytoskeleton in coeliac disease, **520**
Clerc N *see* Furness JB *et al*

epgwgibd J-PC *see* Lesage S *et al*
epimad J-FC *see* Lesage S *et al*
getaid JB *see* Lesage S *et al*

Coebergh JWW *see* Gatta G *et al*
Cohen H *et al*. Heterogeneity of gastric histology and function in food cobalamin malabsorption: absence of atrophic gastritis and achlorhydria in some patients with severe malabsorption, **638**
Cohn D *see* Jass JR *et al*
Collins JK *see* Goode T *et al*
Colombel J *see* Poulain D *et al*
Cooper DP *see* Povey AC *et al*
Cooper HS *see* Schlemper RJ *et al*
Cooper S *see* Bharucha AE *et al*
Corazza GR *see* Clemente MG *et al*
Corbett EJ *et al*. Laser Doppler flowmetry is useful in the clinical management of small bowel transplantation, **580**
Corfield AP *see* Arul GS *et al*
see Longman RJ *et al*
Corfield AP *et al*. Mucins and mucosal protection in the gastrointestinal tract: new prospects for mucins in the pathology of gastrointestinal disease: *review*, **589**
Cornberg M *see* Mix H *et al*
Correale M *see* Misciagna G *et al*
Costa M. Postoperative ileus, **85**
Costa M *et al*. Anatomy and physiology of the enteric nervous system, **15**
The enteric nervous system in health and disease, **1**
Cotzias T *see* Ward C *et al*
Coupland SE *see* von Lampe B *et al*
Cowen T *et al*. Restricted diet rescues rat enteric motor neurones from age related cell death, **653**
Crane R *see* Sigthorsson G *et al*
Crétolle C *see* Sarnacki S *et al*
Crippa FG *see* Filice C *et al*
Croci T *see* Manara L *et al*
Croke DT *see* Jass JR *et al*
Crosthwaite G *see* Sengupta S and Crosthwaite G
Cummins AG *see* Keefe DMK *et al*
Cunliffe RN, Mahida YR. Antimicrobial peptides in innate intestinal host defence: *science alert*, **16**
Curran B *see* Jass JR *et al*
Cussac D *see* Schaak S *et al*

Damhuis RAM *see* Gatta G *et al*
Danesh J *et al*. High prevalence of potentially virulent strains of *Helicobacter pylori* in the general male British population, **23**
Danielsson A *see* Yeung MM-W *et al*
Danze P *see* Poulain D *et al*
Dashwood M *see* Ali H *et al*
Davis MF *see* Ackroyd R *et al*
Dawsey SM *see* Schlemper RJ *et al*
de A Nishioka S *et al*. Timing of transfusion, anti-HBc, and hepatitis C virus related hepatocellular carcinoma: *letter*, **313**
de Bolós C *see* López-Ferrer A *et al*
de Capoa A *see* Hernandez-Blazquez FJ *et al*
Degos F *et al*. Hepatitis C virus related cirrhosis: time to occurrence of hepatocellular carcinoma and death, **131**
Degott C *see* Degos F *et al*
de La Blétière DR *see* Segain J-P *et al*
de La Mata M *see* Muntané J *et al*
Delarive J *see* Pescatore P *et al*
de Leon M *see* Gatta G *et al*
Delgado M *see* Muntané J *et al*
Delvenne P *see* Lechanteur C *et al*
Denis C *see* Schaak S *et al*
Desreumaux P. Specific targeting of IL-6 signalling pathway: a new way to treat IBD?: *review*, **465**
Devedjian JC *see* Schaak S *et al*
de Virgiliis S *see* Clemente MG *et al*
Diab-Assef M *see* Schaeffer C *et al*
di Febbo C *see* di Sebastiano P *et al*
di Leo A *see* Misciagna G *et al*
Dimberg J *see* Hull M *et al*
di Mola FF *see* Di Sebastiano P *et al*
Di Sebastiano P *et al*. Expression of interleukin 8 (IL-8) and substance P in human chronic pancreatitis, **423**
Distante S *et al*. HFE gene mutation (C282Y) and phenotypic expression among a hospitalised population in a high prevalence area of haemochromatosis, **575**
Dixon MF *see* Jass JR *et al*
see Schlemper RJ *et al*
Döcke W-D *see* von Baehr V *et al*
Dockray GJ. Gastrin, growth, and colon neoplasia: *commentary*, **747**
Dodi AI *see* Khakoo SI *et al*
Donaldson P *see* O'Donohue J *et al*
Dorta G *see* Pescatore P *et al*
Dougan G *see* Phillips AD *et al*
Douthwaite J *see* Longman RJ *et al*
Ducerf C *see* Bizollon T *et al*
Dumollard J-M *see* Hernandez-Blazquez FJ *et al*
Dumortier J *et al*. Needle tract recurrence of hepatocellular carcinoma after liver transplantation, **301**
Dusheiko G *see* Yee TT *et al*
Dusheiko G *et al*. The science, economics, and effectiveness of combination therapy for hepatitis C: *leader*, **159**
Dusheiko GM *see* Khakoo SI *et al*
Duvoisin B *see* Pescatore P *et al*
Dyspepsia
see Blum AL *et al*

Ebihara S *see* Muto M *et al*
Ecker K-W *see* Stallmach A *et al*
Ede RJ *see* Ellis RD *et al*
Edmonston TB *see* Jass JR *et al*
Edwards AD *see* Calnan DP *et al*
Eickhoff H *see* Schreiber S *et al*
Ellis RD *et al*. Clearance of refractory bile duct stones with extracorporeal shockwave lithotripsy, **728**
Eltumi M *see* Casson DH *et al*
Esteller M *see* Trojan J *et al*
Esteve M *see* Mallolas J *et al*
Esumi H *see* Muto M *et al*
Etienney I *see* Bouhnik Y *et al*
Etoh T *et al*. Increased expression of collagenase-3 (MMP-13) and MT1-MMP in oesophageal cancer is related to cancer aggressiveness, **50**

Fagbemi A *see* Calnan DP *et al*
Fagerhol M *see* Tibble J *et al*
Faivre J *see* Gatta G *et al*
Fajardy I *see* Poulain D *et al*
Farmachidi J-P *see* Degos F *et al*
Farrell RJ *et al*. Increased incidence of non-Hodgkin's lymphoma in inflammatory bowel disease patients on immunosuppressive therapy but overall risk is low, **514**
Fasano A *see* Baldas V *et al*
Feifel G *see* Stallmach A *et al*
Fenoglio-Preiser CM *see* Schlemper RJ *et al*
Ferber I *see* Bharucha AE *et al*
Ferla G *see* Manara L *et al*
Feuchter A *see* Parlesak A *et al*
Filice C *et al*. Percutaneous drainage of echinococcal cysts (PAIR—puncture, aspiration, injection, reaspiration): results of a worldwide survey for assessment of its safety and efficacy: *letter*, **156**
Fillet G *see* Lechanteur C *et al*
Fischer A *see* Sarnacki S *et al*
Fischer M *see* Blum AL *et al*
Fishel R *see* Jass JR *et al*
Fitzgerald RC. Inflammation at the neo squamo-columnar junction in Barrett's oesophagus: *letter*, **870**
Fitzpatrick K *see* Bharucha AE *et al*
Fléjou J-F *see* Schlemper RJ *et al*
Fontaine H *see* Zylberberg H *et al*
Forbes A *see* Jones J *et al*
Foster GR *see* Ward C *et al*
Foster R *see* Tibble J *et al*
Frankel G *see* Phillips AD *et al*
Frau F *see* Clemente MG *et al*
Fredholm L *see* Nielsen JN *et al*
French N, Pettersson S. Microbe-host interactions in the alimentary tract: the gateway to understanding inflammatory bowel disease: *leader*, **162**
Frieri G *et al*. Mucosal 5-aminosalicylic acid concentration inversely correlates with severity of colonic inflammation in patients with ulcerative colitis, **410**
Friess H *see* di Sebastiano P *et al*
Furlong KL *see* Iino H *et al*
see Jass JR *et al*
Furness JB *et al*. Memory in the enteric nervous system, **60**
Futamura M *see* Takagi Y *et al*

Gaiennie J *see* Vasiliauskas EA *et al*
Gall DG *see* Hardin J *et al*
Ganne-Carrie N *see* Degos F *et al*
Gansauge F *see* Mayer J *et al*
García R *see* Muntané J *et al*
Garrido M *see* López-Ferrer A *et al*
Gasbarrini G *see* Cammarota G *et al*
Gassull M *see* Lesage S *et al*
Gassull MA *see* Mallolas J *et al*
Gatta G *et al*. Understanding variations in survival for colorectal cancer in Europe: a EUROCARE high resolution study, **533**
Gebhart GF. Visceral pain—peripheral sensitisation, **54**
Geboes K *see* Schlemper RJ *et al*
Geboes K *et al*. A reproducible grading scale for histological assessment of inflammation in ulcerative colitis, **404**
Gehrke S *see* Hellman NE *et al*
Gerbes AL *see* Gülberg V *et al*
Gerken G *see* Holtmann G *et al*
Gervois N *see* Segain J-P *et al*
Giacomelli R *see* Frieri G *et al*
Gibbs L *see* Cavicchi M *et al*
Gibson PR *see* Wilson AJ and Gibson PR
Gielen J *see* Lechanteur C *et al*
Gillen D *see* McColl KEL *et al*
Gillen D *et al*. Acid suppression and upper GI cancer diagnosis: *letter*, **740**
Gillet M *see* Vuilleumier H *et al*
Gionchetti P *see* Helwig U *et al*
Gitlin JD *see* Hellman NE *et al*
Glise H *see* Costa M *et al*
Glucker T *see* Pescatore P *et al*
Goddard AF *et al*. Guidelines for the management of iron deficiency anaemia, **S1**
Göke M *see* Mix H *et al*
Goland GJ *see* Keefe DMK *et al*
Gomborone J *see* Jones J *et al*
Goode T *et al*. Neurokinin-1 receptor expression in inflammatory bowel disease: molecular quantitation and localisation, **387**
Goto H *see* Shinkai M *et al*
Gourmelon P *see* Thiagarajah JR *et al*
Goyal RK. Targets of enteric motor neurones: smooth muscle cells, **38**
Greco L *see* Unsworth DJ *et al*
Griffioen A *see* Yee TT *et al*
Griffiths NM *see* Thiagarajah JR *et al*
Group AOBOTLT *see* Corbett EJ *et al*
Grundy D. The intestinal mucosa as a target and trigger for enteric reflexes, **44**
Gschossmann J *see* Holtmann G *et al*
Guagnini F *see* Manara L *et al*
Guerra V *see* Misciagna G *et al*
Guettier C *see* Degos F *et al*
Guichard S *see* Bizollon T *et al*
Gulberg V *et al*. Increased renal production of C-type natriuretic peptide (CNP) in patients with cirrhosis and functional renal failure, **852**
Gunson B *see* Ransford R *et al*
Guyot R *see* Schaak S *et al*

Habib M *see* Hernandez-Blazquez FJ *et al*
Hahn EG *see* Schuppan D and Hahn EG
Halkic N *see* Vuilleumier H *et al*
Hall CN *see* Povey AC *et al*
Haller D *et al*. Non-pathogenic bacteria elicit a differential cytokine response by intestinal epithelial cell/leucocyte co-cultures, **79**
Hammarström M-L *see* Yeung MM-W *et al*
Hammarström S *see* Yeung MM-W *et al*
Hammes WP *see* Haller D *et al*
Hampe J *see* Schreiber S *et al*
Hansen BS *see* Jeppesen PB *et al*
Hardin J *et al*. Effect of proinflammatory interleukins on jejunal nutrient transport, **184**
Harford WV *et al*. Acute gastritis with hypochlorhydria: report of 35 cases with long term follow up, **467**
Hargreaves S *see* Ward C *et al*
Harrison TJ *see* Khakoo SI *et al*
Hartmann B *see* Jeppesen PB *et al*
Hasegawa J *see* Kishimoto Y *et al*
Haslam N *see* Unsworth DJ *et al*
Haslam N *et al*. Measles, month of birth, and Crohn's disease, **801**
Hattori T *see* Schlemper RJ *et al*
Haug E *see* Distante S *et al*
Häusler M *et al*. Fibrosing colonopathy in an adult caused by over use of pancreatic enzyme supplements: *letter*, **598**
Hauss J *see* Tannapfel A *et al*
Hawkey C *see* Danesh J *et al*
Hawkey CJ *see* Jackson LM *et al*
Hawthorne AB *see* Haslam N *et al*
Hayakawa T *see* Shinkai M *et al*
Hayashi N *see* Iimura M *et al*
Hayashi S *see* Sakamaki S *et al*
Hayat M *see* Cammarota G *et al*
Haydock S *see* Bharucha AE *et al*
Haydon GH, Neuberger J. PBC: an infectious disease?: *review*, **586**
Healy J *see* Miao YM *et al*
Hearn CJ *see* Young HM *et al*
Heaton K *see* Jones J *et al*
Hebbard GS *see* Lidums I *et al*
Hebden JM *see* Spiller RC *et al*
Heimann G *see* Häusler M *et al*
Hellier MD, Morris AI. ERCP training—time for change: *leader*, **459**
Hellman NE *et al*. Hepatic iron overload in aceruloplasminaemia, **858**
Helwig U *et al*. MCP-3 in inflammatory bowel disease: *letter*, **155**
Henin D *see* Sobhani I *et al*
Hennig GW *see* Costa M *et al*
Henriksen JH *see* Gülberg V *et al*
Henry L *see* Saurin J-C *et al*
Herbst H *see* Stallmach A *et al*
Hernandez-Blazquez FJ *et al*. Evaluation of global DNA hypomethylation in human colon cancer tissues by immunohistochemistry and image analysis, **689**
Herrero JI *see* Berasain C *et al*
Heuschkel RB *et al*. Imbalance of stromelysin-1 and TIMP-1 in the mucosal lesions of children with inflammatory bowel disease, **57**
Hey H *see* Nielsen JN *et al*
Hicks S *see* Phillips AD *et al*
Higgins R *see* Bharucha AE *et al*
Hirota T *see* Schlemper RJ *et al*
Hitomi Y *see* Muto M *et al*
Ho B *see* Zheng PY *et al*
Hoffman WJ *see* Hellman NE *et al*
Hoffmann M *see* Stacher G *et al*
Holloway RH *see* Lidums I *et al*
Holmes GKT *see* Haslam N *et al*
Holst JJ *see* Jeppesen PB *et al*
Holtmann G *et al*. Differences in gastric mechanosensory function after repeated ramp distensions in non-consulters with dyspepsia and healthy controls, **332**
Holzer P. Local microcirculatory reflexes and afferent signalling in response to gastric acid challenge, **46**
Hoover M *see* Sigthorsson G *et al*
Hsiao T-J *see* Yu M-W *et al*
Hua J *see* Zheng PY *et al*
Hudault S *see* Liévin V *et al*
Hudson M *see* Rees CJ *et al*
Hugot J-P *see* Lesage S *et al*

Hull M *et al.* Differential expression of cyclooxygenase 2 in human colorectal cancer: *letter*, **154**
Hungin APS *see* Gillen D *et al*
Hungin P *see* Jones J *et al*

Iimura M *et al.* Bax is downregulated in inflamed colonic mucosa of ulcerative colitis, **228**
Iino H *see* Jass JR *et al*
Iino H *et al.* DNA microsatellite instability and mismatch repair protein loss in adenomas presenting in hereditary non-polyposis colorectal cancer, **37**
Iizuka B *see* Iimura M *et al*
Ilyas M *see* Kim HC *et al*
Innocenti P *see* di Sebastiano P *et al*
Inoue H *see* Etoh T *et al*
Inoue Y *see* Iimura M *et al*
Irvine EJ *see* Borgaonkar MR and Irvine EJ
Isern J *see* López-Ferrer A *et al*
Itabashi M *see* Schlemper RJ *et al*
Iwafuchi M *see* Schlemper RJ *et al*
Iwashita A *see* Schlemper RJ *et al*

Jackson LM *et al.* Cyclooxygenase (COX) 1 and 2 in normal, inflamed, and ulcerated human gastric mucosa, **762**
Jalan R *et al.* Losartan and renal sodium handling: *letter*, **596**
Jandl O *see* Mix H *et al*
Jansen PLM, Müller M. The molecular genetics of familial intrahepatic cholestasis: *leader*, **1**
Jass JR *see* Iino H *et al*
Jass JR *et al.* hMLH1 and hMSH2 immunostaining in colorectal cancer: *letter*, **315**
Neoplastic progression occurs through mutator pathways in hyperplastic polyposis of the colorectum, **43**
Replication error phenotype in colorectal cancer: *letter*, **597**
Jenkins AP *see* Ellis RD *et al*
Jenkins D *see* Jackson LM *et al*
see Spiller RC *et al*
Jensfelt B *see* Geboes K *et al*
Jeppesen PB *see* Szkudlarek J *et al*
Jeppesen PB *et al.* Elevated plasma glucagon-like peptide 1 and 2 concentrations in ileum resected short bowel patients with a preserved colon, **370**
Jewell DP *see* Simmons JD *et al*
Jinnai T *see* Kishimoto Y *et al*
Johnson AG *see* Ackroyd R *et al*
Johnson RJR *see* Cowen T *et al*
Johnson TD *see* Chang L *et al*
Joly-Pharaboz M-O *see* Saurin J-C *et al*
Jones J *et al.* British Society of Gastroenterology guidelines for the management of the irritable bowel syndrome, **1**

Kam LY *see* Vasiliauskas EA *et al*
Kamm MA. Intestinal pseudo-obstruction, **84**
Why the enteric nervous system is important to clinicians, **8**
Kanayama S *see* Beales ILP *et al*
Kapur RP. Developmental disorders of the enteric nervous system, **81**
Karp LC *see* Vasiliauskas EA *et al*
Kashiwamura S-I *see* Chikano S *et al*
Katalinic A *see* Tannapfel A *et al*
Katlama C *see* Zylberberg H *et al*
Kato J *see* Sakamaki S *et al*
Kato Y *see* Schlemper RJ *et al*
Kaul A *see* Mix H *et al*
Kawasaki H *see* Kishimoto Y *et al*
Kay EW *see* Jass JR *et al*
Kedinger M *see* Schaeffer C *et al*
Keefe DMK *et al.* Chemotherapy for cancer causes apoptosis that precedes hypoplasia in crypts of the small intestine in humans, **632**
Keeling PWN *see* Farrell RJ *et al*
Kehlet H. Postoperative ileus, **85**
Kelleher D *see* Farrell RJ *et al*
Kelty C, Ackroyd R. Re-epithelialisation of Barrett's oesophagus: *letter*, **741**
Kermorgant S *see* Sobhani I *et al*
Kerr MA. Function of immunoglobulin A in immunity: *review*, **751**
Khakoo SI *et al.* Cytotoxic T lymphocyte responses and CTL epitope escape mutation in HBsAg, anti-HBe positive individuals, **137**
Kidd J *see* McColl KEL *et al*
Kileen P *see* Farrell RJ *et al*
Kim BS *see* Kim HC *et al*
Kim HC *et al.* The E-cadherin gene (*CDH1*) variants T340A and L599V in gastric and colorectal cancer patients in Korea, **262**
Kim JC *see* Kim HC *et al*
Kim YI *see* Schlemper RJ *et al*
Kingham JGC. Dissecting out crytogenic liver disease: *commentary*, **328**
Kinlen LJ. Non-Hodgkin's lymphoma after immunosuppressive therapy: *commentary*, **462**
Kirchner T *see* Schlemper RJ *et al*
Kishimoto Y *et al.* Sulindac and a cyclooxygenase-2 inhibitor, etodolac, increase APC mRNA in the colon of rats treated with azoxymethane, **812**
Kitano S *see* Etoh T *et al*
Klehr HU *see* Brensing KA *et al*
Klimpfinger M *see* Schlemper RJ *et al*
Köckerling F *see* Tannapfel A *et al*
Koelz HR *see* Blum AL *et al*
Kogawa K *see* Sakamaki S *et al*
Koike M *see* Schlemper RJ *et al*
Koorey DJ *see* Jass JR *et al*
Kramer HJ *see* Brensing KA *et al*
Kroeker K *see* Hardin J *et al*
Ksontini R *see* Vuilleumier H *et al*
Kubes P. Inducible nitric oxide synthase: a little bit of good in all of us: *leader*, **6**
Kuipers EJ *see* Cats A *et al*
Kumar D *see* Jones J *et al*
Kunze WAA *see* Furness JB *et al*
Kupferling S *see* von Baehr V *et al*
Kuriyama S *see* Nakatani T *et al*
Kuske M *see* Mix H *et al*

Lagergren J *et al.* No relation between body mass and gastro-oesophageal reflux symptoms in a Swedish population based study, **26**
Lagneaux JL *see* Zylberberg H *et al*
Laigneau J-P *see* Sobhani I *et al*
Lakhoo K *see* Calnan DP *et al*
Lam SK *see* Ma L *et al*
Lammers KM *see* Helwig U *et al*
Landau A *see* Zylberberg H *et al*
Lande K *see* Distante S *et al*
Langman M *see* Hull M *et al*
Larsen TB *see* Nielsen JN *et al*
Laurent-Huck F *see* Schaeffer C *et al*
Lauwers GY *see* Schlemper RJ *et al*
Lavergne-Slove A *see* Bouhnik Y *et al*
Leader M *see* Jass JR *et al*
Lebrun F *see* Thiagarajah JR *et al*
Lechanteur C *et al.* Combined suicide and cytokine gene therapy for peritoneal carcinomatosis, **343**
Lee CA *see* Yee TT *et al*
Lee E *see* Harford WV *et al*
le Fur G *see* Manara L *et al*
le Gall I *see* Lesage S *et al*
Leggett B *see* Iino H *et al*
Leggett BA *see* Jass JR *et al*
Lehrach H *see* Schreiber S *et al*
Lehy T *see* Sobhani I *et al*
Lemoine NR *see* Aspinall RJ and Lemoine NR
Lenehan K *see* Jass JR *et al*
Lenglinger J *see* Stacher G *et al*
Lennon L *see* Danesh J *et al*
Leray V *see* Segain J-P *et al*
Lesage S *et al.* Genetic analyses of chromosome 12 loci in Crohn's disease, **787**
Leuschner M. UDCA, PBC, and biochemistry, what does normal mean?: *letter*, **595**
Levine DF *et al.* Hepatitis E acquired in the UK: *letter*, **740**
Lewin KJ *see* Schlemper RJ *et al*
Lewin MJM *see* Sobhani I *et al*
Liaw Y-F *see* Yu M-W *et al*
Libby G *see* Jones J *et al*
Lidums I *et al.* Effect of atropine on proximal gastric motor and sensory function in normal subjects, **30**
Liebenthal C *see* von Baehr V *et al*
Liévin V *et al.* Bifidobacterium strains from resident infant human gastrointestinal microflora exert antimicrobial activity, **646**
Lim SG *see* Wai CT *et al*
Lin S-M *see* Yu M-W *et al*
Ling R *see* Khakoo SI *et al*
Lio D *see* Cataldo F *et al*
Ljubuncic P *et al.* Evidence of a systemic phenomenon for oxidative stress in cholestatic liver disease, **710**
Lochs H *see* von Baehr V *et al*
Lock RJ *see* Unsworth DJ *et al*
Lodge JPA *see* Corbett EJ *et al*
Löfberg R *see* Geboes K *et al*
Loizidou M *see* Ali H *et al*
Lombard M *see* Quest L and Lombard M
Lombard-Bohas C *see* Dumortier J *et al*
Longman R *see* Corfield AP *et al*
Longman RJ, Warren BF. Is the colonic reparative cell lineage yet to be discovered?: *occasional viewpoint*, **307**
Longman RJ *et al.* Coordinated localisation of mucins and trefoil peptides in the ulcer associated cell lineage and the gastrointestinal mucosa, **792**
Lopez M *see* Lechanteur C *et al*
López-Ferrer A *et al.* Role of fucosyltransferases in the association between apomucin and Lewis antigen expression in normal and malignant gastric epithelium, **349**

Lorentz A *see* Helwig U *et al*
Lozano JM *see* Muntané J *et al*
Luedde T *see* Streetz KL *et al*
Lundgren O. Sympathetic input into the enteric nervous system, **33**
The stomach talks with the pituitary: *review*, **168**

Ma L *et al.* The role of polyamines in gastric mucus synthesis inhibited by cigarette smoke or its extract, **170**
McCarthy D. Prostaglandins, COX-2, and sensory perception, **66**
McColl KEL *see* Gillen D *et al*
McColl KEL. No *H pylori*: less dyspepsia?: *commentary*, **461**
McColl KEL *et al.* Gastric cancer in patients with benign dyspepsia: *letter*, **741**
McCormick PA. Improving prognosis in hepatorenal syndrome: *commentary*, **166**
MacDonald TT *see* Heuschkel RB *et al*
McIntyre AS *see* Goddard AF *et al*
McKay DM *see* Benjamin MA *et al*
McAdam SN, Sollid LM. Getting to grips with gluten: *leader*, **743**
MacSween RNM *see* O'Donohue J *et al*
Madjar J-J *see* Saurin J-C *et al*
Madrigal JA *see* Khakoo SI *et al*
Maffrand J-P *see* Manara L *et al*
Mahida YR *see* Cunliffe RN and Mahida YR
see Jackson LM *et al*
Mahmud N *see* Nielsen JN *et al*
Mallolas J *et al.* Antineutrophil antibodies associated with ulcerative colitis interact with the antigen(s) during the process of apoptosis, **74**
Manara L *et al.* Functional assessment of β adrenoceptor subtypes in human colonic circular and longitudinal (taenia coli) smooth muscle, **337**
Manns MP *see* Helwig U *et al*
see Mix H *et al*
see Streetz KL *et al*
Mansi C *see* Savarino V *et al*
Marchbank T *see* Calnan DP *et al*
Marcus SL *see* Ackroyd R *et al*
Mardini HA *see* Rees CJ *et al*
Marino V *see* Cataldo F *et al*
Martinez-Garcia C *see* Gatta G *et al*
Marusawa H *see* de A Nishioka S *et al*
Marzari R *see* Baldas V *et al*
Matin K *see* Chang L *et al*
Matuchansky C *see* Bouhnik Y *et al*
Mayberry JF *see* Aspinall RJ *et al*
see Haslam N *et al*
Mayer D *see* Ransford R *et al*
Mayer EA *see* Chang L *et al*
Mayer EA. Spinal and supraspinal modulation of visceral sensation, **69**
The neurobiology of stress and gastrointestinal disease: *review*, **861**
Mayer J *et al.* Inflammatory mediators in human acute pancreatitis: clinical and pathophysiological implications, **546**
Meilicke R *see* Häusler M *et al*
Melgar S *see* Yeung MM-W *et al*
Menzl I *see* Parlesak A *et al*
Merville M-P *see* Lechanteur C *et al*
Meuli R *see* Pescatore P *et al*
Meuwissen SGM *see* Cats A *et al*
Miao YM *et al.* A prospective single centre study comparing computed tomography pneumocolon against colonoscopy in the detection of colorectal neoplasms, **832**
Mignon M *see* Sobhani I *et al*
Miller SM. Control of peripheral sympathetic prevertebral ganglion neurones by colonic mechanosensory afferents, **28**
Mills PR *see* O'Donohue J *et al*
Miño G *see* Muntané J *et al*
Misciagna G *et al.* Insulin and gall stones: a population case control study in southern Italy, **144**
Mitoro A *see* Nakatani T *et al*
Mix H *et al.* Expression of leptin and leptin receptor isoforms in the human stomach, **481**
Miyagawa J *see* Beales ILP *et al*
Møller S *see* Gülberg V *et al*
Molloy A *see* Nielsen JN *et al*
Monteleone G *see* Heuschkel RB *et al*
Montero JL *see* Muntané J *et al*
Moorghen M *see* Arul GS *et al*
Mori M *see* Etoh T *et al*
Morii T *see* Tsukuma H *et al*
Morisawa T *see* Kishimoto Y *et al*
Morris AI *see* Hellier MD and Morris AI
Morris *see* Filice C *et al*
mortensen NJM *see* Wheeler JMD *et al*
Mortensen PB *see* Jeppesen PB *et al*
see Szkudlarek J *et al*
Mourad FH, Nassar CF. Effect of vasoactive intestinal polypeptide (VIP) antagonism on rat jejunal fluid and electrolyte secretion induced by cholera and *Escherichia coli* enterotoxins, **382**
Mukenge S *see* Manara L *et al*
Mulcahy H *see* Jass JR *et al*
Muller M *see* Jansen PLM and Müller M
Muller W *see* Sarnacki S *et al*
Mullighan C *see* Simmons JD *et al*
Munakata J *see* Chang L *et al*
Munkholm P *see* Nielsen JN *et al*
Muntané J *et al.* TNF-α dependent production of inducible nitric oxide is involved in PGE_1 protection against acute liver injury, **553**
Murayama Y *see* Beales ILP *et al*
Murch SH *see* Casson DH *et al*
Murugan N *see* Miao YM *et al*
Musu MP *see* Clemente MG *et al*
Mutimer D. Management of the HIV-HCV coinfected patient: *commentary*, **608**
Muto M *et al.* Association of *aldehyde dehydrogenase 2* gene polymorphism with multiple oesophageal dysplasia in head and neck cancer patients, **256**
Myerscough N *see* Arul GS *et al*
see Corfield AP *et al*

Naftalin RJ *see* Thiagarajah JR *et al*
Nakamura T *see* Iimura M *et al*
Nakanishi K *see* Chikano S *et al*
Nakatani T *et al.* Assessment of efficiency and safety of adenovirus mediated gene transfer into normal and damaged murine livers, **563**
Naliboff B *see* Chang L *et al*
Narahara H *see* Tsukuma H *et al*
Nassar CF *see* Mourad FH and Nassar CF
Navabpour S *see* Phillips AD *et al*
Neal KR *see* Spiller RC *et al*
Neale G *see* Bruce S *et al*
Neeser J-R *see* Liévin V *et al*
Nemeth J *see* Bouhnik Y *et al*
Neoptolemos JP *see* Bhatia M *et al*
Neuberger J *see* Haydon GH and Neuberger J
see Ransford R *et al*
Neufang-Hüber J *see* Holtmann G *et al*
Newby DE *see* Jalan R *et al*
Newcombe RG *see* Haslam N *et al*
Newgreen DF *see* Young HM *et al*
Nicoletti C. Unsolved mysteries of intestinal M cells: *review*, **735**
Nielsen JN *et al.* Increased prevalence of methylenetetrahydrofolate reductase C677T variant in patients with IBD: *letter*, **456**
Niveleau A *see* Hernandez-Blazquez FJ *et al*
Niwa Y *see* Shinkai M *et al*
Not T *see* Baldas V *et al*
Nyrén O *see* Lagergren J *et al*

Öberg Å *see* Yeung MM-W *et al*
Oberhuber G *see* Schlemper RJ *et al*
O'Briain DS *see* Farrell RJ *et al*
O'Connell J *see* Goode T *et al*
O'Connor PJ *see* Povey AC *et al*
O'Donoghue DP *see* Jass JR *et al*
O'Donohue J *et al.* Co-amoxiclav jaundice: clinical and histological features and HLA class II association, **717**
Offner F *see* Schlemper RJ *et al*
Ohmiya N *see* Shinkai M *et al*
Ohtsu A *see* Muto M *et al*
Oien KA *see* O'Donohue J *et al*
Okamura H *see* Chikano S *et al*
Oppong K *see* Rees CJ *et al*
Oshima A *see* Tsukuma H *et al*
Öst A *see* Geboes K *et al*
O'Sullivan GC *see* Goode T *et al*
O'Valle F *see* Muntané J *et al*

Page CP *see* Perretti M and Page CP
Pai C-I *see* Yu M-W *et al*
Painter D *see* Jass JR *et al*
Palazzo J *see* Jass JR *et al*
Palumbo G *see* Frieri G *et al*
Panés J *see* Salas A *et al*
Panizo A *see* Berasain C *et al*
Pantaleoni G *see* Frieri G *et al*
Pantoflickova D *see* Pescatore P *et al*
Paris H *see* Schaak S *et al*
Park KC *see* Kim HC *et al*
Parlesak A *et al.* Inhibition of retinol oxidation by ethanol in the rat liver and colon, **825**
Passacantando A *see* Frieri G *et al*
Pawlega J *see* Gatta G *et al*
Pedley KC *see* Thiagarajah JR *et al*
Pedraza CA *see* Muntané J *et al*
Peiffer I *see* Liévin V *et al*
Pender SLF *see* Heuschkel RB *et al*
Perdue MH *see* Benjamin MA *et al*
see Santos J and Perdue MH
Perez-Perez G *see* Harford WV *et al*
Pernas P *see* Saurin J-C *et al*

Perretti M, Page CP. Heparin and inflammation: a new use for an old GAG?: *commentary*, **14**
Persson T *see* Geboes K *et al*
Perz J *see* Brensing KA *et al*
Pescatore P *et al*. Diagnostic accuracy and interobserver agreement of CT colonography (virtual colonoscopy), **126**
Peters FTM. Proton pump inhibitors for Barrett's oesophagus: *letter*, **154**
Peterson WL *see* Harford WV *et al*
Petroniene R *see* Petronis A and Petroniene R
Petronis A, Petroniene R. Epigenetics of inflammatory bowel disease, **302**
Pettersson S *see* French N and Pettersson S
Pfeifer AMA *see* Haller D *et al*
Phillips AD *et al*. Enterohaemorrhagic *Escherichia coli* O157:H7 target Peyer's patches in humans and cause attaching/effacing lesions in both human and bovine intestine, **377**
Pialoux G *see* Zylberberg H *et al*
Picarelli A *see* Cataldo F *et al*
Pignatelli M *see* Corfield AP *et al*
Pimpo M *see* Frieri G *et al*
Piqué JM *see* Salas A *et al*
Plateroti M *see* Schaeffer C *et al*
Plauth M *see* von Baehr V *et al*
Playford RJ *see* Aspinall RJ *et al*
see Calnan DP *et al*
Pol S *see* Zylberberg H *et al*
Pollard SG *see* Corbett EJ *et al*
Ponchon T *see* Saurin J-C *et al*
Porreca E *see* di Sebastiano P *et al*
Pottier D *see* Gatta G *et al*
Poulain D *et al*. Mother to child transmission of anti- *S cerevisiae mannan antibodies (ASCA) in non-IBD families: letter*, **870**
Poulsen SS *see* Jeppesen PB *et al*
Poulsom R *see* Longman RJ *et al*
Povey AC *et al*. Elevated levels of the pro-carcinogenic adduct, O^6-methylguanine, in normal DNA from the cancer prone regions of the large bowel, **362**
Powley TL. Vagal input to the enteric nervous system, **30**
Poynard T *see* Zylberberg H *et al*
Price AB *see* Schlemper RJ *et al*
Prieto J *see* Berasain C *et al*
Princen F *see* Lechanteur C *et al*
Probert CSJ *see* Haslam N *et al*

Quan H *see* Sigthorsson G *et al*
Quest L, Lombard M. Pancreas divisum: opinio divisa: *leader*, **317**
Quintero A *see* Muntané J *et al*
Quirke P *see* Jass JR *et al*

Raab P *see* Brensing KA *et al*
Raedle J *see* Trojan J *et al*
Ransford R *et al*. Effect on outcome of the lengthening waiting list for liver transplantation: *occasional viewpoint*, **441**
Rau B *see* Mayer J *et al*
Raverdy N *see* Gatta G *et al*
Read N *see* Jones J *et al*
Record CO *see* Rees CJ *et al*
Reed MWR *see* Ackroyd R *et al*
Rees CJ *et al*. Effect of l-ornithine-l-aspartate on patients with and without TIPS undergoing glutamine challenge: a double blind, placebo controlled trial, **571**
Rees Y *see* Aspinall RJ *et al*
Reeve J *see* Goode T *et al*
Regan L *see* Ward C *et al*
Reimund JM *see* Schaeffer C *et al*
Reis CA *see* López-Ferrer A *et al*
Reverter JC *see* Salas A *et al*
Révillon Y *see* Sarnacki S *et al*
Riddell R *see* Geboes K *et al*
Riddell RH *see* Schlemper RJ *et al*
Riecken E-O *see* von Lampe B *et al*
Rius E *see* Mallolas J *et al*
Rizzello F *see* Helwig U *et al*
Rochat F *see* Liévin V *et al*
Rodríguez FJ *see* Muntané J *et al*
Roediger WE, Babidge WJ. Thiol methyltransferase activity in inflammatory bowel disease, **206**
Rosales C *see* Segain J-P *et al*
Rosenberg W. Screening and shouting about HCV: *commentary*, **165**
Roseth A *see* Tibble J *et al*
Rosewicz S *see* von Lampe B *et al*
Rotter J *see* Poulain D *et al*
Rubio CA *see* Schlemper RJ *et al*
Ruiz J *see* Berasain C *et al*
Ruszkiewicz A *see* Jass JR *et al*
Ryan J. Thalidomide treatment of oesophageal ulceration: *letter*, **156**

Saba L *see* Chang L *et al*
Sabin CA *see* Yee TT *et al*
Saccone GTP *see* Chen JWC *et al*
Saji S *see* Takagi Y *et al*
Sakamaki S *et al*. Autoantibodies against the specific epitope of human tropomyosin(s) detected by a peptide based enzyme immunoassay in sera of patients with ulcerative colitis show antibody dependent cell mediated cytotoxicity against HLA-DPw9 transfected L cells, **236**
Salas A *et al*. Heparin attenuates TNF-α induced inflammatory response through a CD11b dependent mechanism, **88**
Salvi SS. Liver disease and pulmonary hypertension: *letter*, **595**
Sanders KM. Postjunctional electrical mechanisms of enteric neurotransmission, **23**
Postjunctional electrical mechanisms of enteric neurotransmission, **23**
Sans M *see* Salas A *et al*
Sant M *see* Gatta G *et al*
Santer RM *see* Cowen T *et al*
Santos J, Perdue MH. Stress and neuroimmune regulation of gut mucosal function, **49**
Sarnacki S *et al*. Blockade of the integrin αLβ2 but not of integrins α4 and/or β7 significantly prolongs intestinal allograft survival in mice, **97**
Sauerbruch T *see* Brensing KA *et al*
Saurin J-C *et al*. Detection of Ki-*ras* gene point mutations in bile specimens for the differential diagnosis of malignant and benign biliary strictures, **357**
Savage F *see* Ali H *et al*
Savarino V *et al*. Endoscopic gastrin test and *Helicobacter pylori infection: letter*, **596**
Sawada K *see* Chikano S *et al*
Sblattero D *see* Baldas V *et al*
Schaak S *et al*. Alpha$_2$ adrenoceptors regulate proliferation of human intestinal epithelial cells, **242**
Schaefer M *see* Hellman NE *et al*
Schaeffer C *et al*. Cytokine gene expression during postnatal small intestinal development: regulation by glucocorticoids, **192**
Schiedermaier P *see* Brensing KA *et al*
Schiffrin EJ *see* Haller D *et al*
Schild H *see* Brensing KA *et al*
Schlemper RJ *et al*. The Vienna classification of gastrointestinal epithelial neoplasia, **251**
Schloithe AC *see* Chen JWC *et al*
Schmulson MJ *see* Chang L *et al*
Schneider C *see* Stacher G *et al*
Schnyder P *see* Pescatore P *et al*
Scholten P *see* Cats A *et al*
Schreiber S. Genetics of inflammatory bowel disease: a puzzle with contradictions?: *commentary*, **746**
Schreiber S *et al*. Functional genomics in gastroenterology: *leader*, **601**
Schuppan D *see* Stallmach A *et al*
Schuppan D, Hahn EG. MMPs in the gut: inflammation hits the matrix: *commentary*, **12**
Scoazec J-Y *see* Dumortier J *et al*
Scolapio JS. Effect of growth hormone and glutamine on the short bowel: five years later: *commentary*, **164**
Scott BB *see* Goddard AF *et al*
Scott I *see* Khakoo SI *et al*
Scott J *see* Nielsen JN *et al*
Segado O *see* Muntané J *et al*
Segain J-P *et al*. Butyrate inhibits inflammatory responses through NFκB inhibition: implications for Crohn's disease, **397**
Seitz HK. Alcohol and retinoid metabolism: *commentary*, **748**
Sekikawa K *see* Chikano S *et al*
Sendid B *see* Poulain D *et al*
Sengupta S, Crosthwaite G. One minute unbuffered urease test: should it be read at 10 minutes?: *letter*, **155**
Servin AL *see* Liévin V *et al*
Shah S *see* Aspinall RJ *et al*
Shahrier M, Ahnen DJ. Colorectal cancer survival in Europe: the Will Rogers phenomenon revisited: *commentary*, **463**
Shanahan F *see* Goode T *et al*
Sheard C *see* Ali H *et al*
Shepherd HA *see* Bruce S *et al*
Sherwood R *see* Tibble J *et al*
Shimizu M *see* Schlemper RJ *et al*
Shimoda T *see* Schlemper RJ *et al*
Shimoyama T *see* Chikano S *et al*
Shinkai M *et al*. Evaluation of prognosis of squamous cell carcinoma of the oesophagus by endoscopic ultrasonography, **120**
Shinomura Y *see* Beales ILP *et al*
Shinozaki S *see* Iimura M *et al*
Shiota G *see* Kishimoto Y *et al*
Siendones E *see* Muntané J *et al*
Sifrim D *see* Tack J and Sifrim D
Sigthorsson G *see* Tibble J *et al*
Sigthorsson G *et al*. COX-2 inhibition with rofecoxib does not increase intestinal permeability in healthy subjects: a double blind crossover study comparing rofecoxib with placebo and indomethacin, **527**
Silk D *see* Jones J *et al*
Simmons JD *et al*. Vitamin D receptor gene polymorphism: association with Crohn's disease susceptibility, **211**

Simms L *see* Iino H *et al*
Simon T *see* Sigthorsson G *et al*
Sipponen P *see* Schlemper RJ *et al*
Sizer T *see* Calnan DP *et al*
Sjödahl R *see* Costa M *et al*
Skinner M *see* Spiller RC *et al*
Slavin J *see* Bhatia M *et al*
Smith AM, Watson SA. Gastrin and gastrin receptor activation: an early event in the adenoma-carcinoma sequence, **820**
Smith JAW *see* Heuschkel RB *et al*
Sobhani I *et al*. Leptin secretion and leptin receptor in the human stomach, **178**
Söderkvist P *see* Hull M *et al*
Solcia E *see* Schlemper RJ *et al*
Sole G *see* Clemente MG *et al*
Sollid LM *see* McAdam SN and Sollid LM
Solomon MJ *see* Jass JR *et al*
Soriano A *see* Salas A *et al*
Soubeyre V *see* Cowen T *et al*
Spengler U *see* Brensing KA *et al*
Spicer RD *see* Arul GS *et al*
Spiller R *see* Jones J *et al*
Spiller RC *et al*. Increased rectal mucosal enteroendocrine cells, T lymphocytes, and increased gut permeability following acute *Campylobacter* enteritis and in post-dysenteric irritable bowel syndrome, **804**
Stacher G *et al*. Gastric emptying: a contributory factor in gastro-oesophageal reflux activity?, **661**
Stacher-Janotta G *see* Stacher G *et al*
Stallmach A *et al*. Comparable expression of matrix metalloproteinases 1 and 2 in pouchitis and ulcerative colitis, **415**
Stegen P *see* Hellman NE *et al*
Stephenson TJ *see* Ackroyd R *et al*
Stoddard CJ *see* Ackroyd R *et al*
Stolte M *see* Blum AL *et al*
see Schlemper RJ *et al*
Streetz KL *et al*. Interleukin 6 and liver regeneration: *review*, **309**
Stremmel W *see* Hellman NE *et al*
Strunk H *see* Brensing KA *et al*
Sugihara A *see* Chikano S *et al*
Sutton C *see* Poulain D *et al*
Suvakovic Z *see* Gillen D *et al*
Suzuki S *see* Iimura M *et al*
Sylvester P *see* Corfield AP *et al*
Sylvester PA *see* Longman RJ *et al*
Szkudlarek J *et al*. Effect of high dose growth hormone with glutamine and no change in diet on intestinal absorption in short bowel patients: a randomised, double blind, crossover, placebo controlled study, **199**

Tack J. Distension in non-consulting dyspeptics: a swell idea: *commentary*, **326**
Receptors of the enteric nervous system: potential targets for drug therapy, **20**
Tack J, Sifrim D. A little rest and relaxation: *commentary*, **11**
Takagi Y *et al*. Alterations of the PPP2R1B gene located at 11q23 in human colorectal cancers, **268**
Takahashi T *see* Takagi Y *et al*
Takata N *see* Kishimoto Y *et al*
Takayama T *see* Sakamaki S *et al*
Takayanagi N *see* Sakamaki S *et al*
Talbot I *see* Jass JR *et al*
Talley NJ *see* Holtmann G *et al*
Tan KC *see* Wai CT *et al*
Tannapfel A *et al*. Frequency of $p16^{INK4A}$ alterations and k-*ras* mutations in intrahepatic cholangiocarcinoma of the liver, **721**
Tanne Z *see* Ljubuncic P *et al*
Targan SR *see* Vasiliauskas EA *et al*
Taylor I *see* Ali H *et al*
Teahon K *see* Tibble J *et al*
Teo CG *see* Levine DF *et al*
Terada N *see* Chikano S *et al*
Textor J *see* Brensing KA *et al*
Thevenot T *see* Bouhnik Y *et al*
Thiagarajah JR *et al*. Radiation induced cytochrome c release causes loss of rat colonic fluid absorption by damage to crypts and pericryptal myofibroblasts, **675**
Thjodleifsson B *see* Tibble J *et al*
Thomas A *see* Chen JWC *et al*
Thomas G *see* Lesage S *et al*
Thomas MG *see* Longman RJ *et al*
Thompson RPH *see* Ellis RD *et al*
Thomson A *see* Danesh J *et al*
Thornley JP *see* Spiller RC *et al*
Thulesen J *see* Jeppesen PB *et al*
Tibble J *et al*. A simple method for assessing intestinal inflammation in Crohn's disease, **506**
Tighe O *see* Jass JR *et al*
Tominaga K *see* Nakatani T *et al*
Tomlin S *see* Casson DH *et al*
Tommasini A *see* Baldas V *et al*
Tompson D *see* Bharucha AE *et al*
Toouli J *see* Chen JWC *et al*
Tougas G. The autonomic nervous system in functional bowel disorders, **78**
Trautwein C *see* Streetz KL *et al*
Trepo C *see* Bizollon T *et al*
Trevisan M *see* Misciagna G *et al*
Trevisiol C *see* Baldas V *et al*
Trinchet J-C *see* Degos F *et al*
Trojan J *et al*. 5'-CpG island methylation of the *LKB1/STK11* promoter and allelic loss at chromosome 19p13.3 in sporadic colorectal cancer, **272**
Tsujimoto T *see* Nakatani T *et al*
Tsukuma H *et al*. Natural history of early gastric cancer: a non-concurrent, long term, follow up study, **618**
Tudor-Williams G *see* Ward C *et al*
Tysk C *see* Lesage S *et al*

Uguccioni M *see* Helwig U *et al*
Uhlmann D *see* Tannapfel A *et al*
Underhill J *see* O'Donohue J *et al*
Unsworth DJ *et al*. Coeliac disease and unfavourable outcome of pregnancy: *letter*, **598**

Valette P-J *see* Dumortier J *et al*
Vandenbroucke-Grauls CMJE *see* Appelmelk BJ and Vandenbroucke-Grauls CMJE
van Oostayen JA, Wasser MNJM. Use of Doppler ultrasound in Crohn's disease: *letter*, **156**
Vasiliauskas EA *et al*. Marker antibody expression stratifies Crohn's disease into immunologically homogeneous subgroups with distinct clinical characteristics, **487**
Ventura A *see* Baldas V *et al*
see Cataldo F *et al*
Vigneri S *see* Savarino V *et al*
Vissuzaine C *see* Sobhani I *et al*
Volk H-D *see* von Baehr V *et al*
von Baehr V *et al*. Mechanisms of endotoxin tolerance in patients with alcoholic liver cirrhosis: role of interleukin 10, interleukin 1 receptor antagonist, and soluble tumour necrosis factor receptors as well as effector cell desensitisation, **281**
von Lampe B *et al*. Differential expression of matrix metalloproteinases and their tissue inhibitors in colon mucosa of patients with inflammatory bowel disease, **63**
Vuilleumier H *et al*. Columnar cuff cancer after restorative proctocolectomy for familial adenomatous polyposis, **732**

Wagner N *see* Sarnacki S *et al*
Wagner S *see* Mix H *et al*
Wai CT *et al*. Outcome of lamivudine resistant hepatitis B virus infection in liver transplant recipients in Singapore: *letter*, **741**
Walker M *see* Danesh J *et al*
Walker-Smith JA *see* Casson DH *et al*
Wallis T *see* Phillips AD *et al*
Walsh MD *see* Jass JR *et al*
Wang WP *see* Ma L *et al*
Ward C *et al*. Prevalence of hepatitis C among pregnant women attending an inner London obstetric department: uptake and acceptability of named antenatal testing, **277**
Ward SM. Interstitial cells of Cajal in enteric neurotransmission, **40**
Warren BF *see* Longman RJ and Warren BF
Wasser MNJM *see* van Oostayen JA and Wasser MNJM
Watanabe H *see* Schlemper RJ *et al*
Watson SA *see* Smith AM and Watson SA
Webb SI *see* Iino H *et al*
Webster G *see* Dusheiko G *et al*
Wedemeyer J *see* Helwig U *et al*
Weinstein WM *see* Cohen H *et al*
Weir DG *see* Farrell RJ *et al*
see Nielsen JN *et al*
Welsh KI *see* Simmons JD *et al*
Westaby D *see* Miao YM *et al*
Whalley S *see* Dusheiko G *et al*
Wheeler JMD *see* Kim HC *et al*
see Wheeler JMD *et al*
Wheeler JMD *et al*. DNA mismatch repair genes and colorectal cancer: *review*, **148**
Whincup P *see* Danesh J *et al*
Whittle BJR *see* Cavicchi M *et al*
Whittle BJR. COX-1 and COX-2 products in the gut: therapeutic impact of COX-2 inhibitors: *leader*, **320**
Whorwell P *see* Jones J *et al*
Wicks ACB *see* Aspinall RJ *et al*
Widjaja A *see* Mix H *et al*
Wilhelmsen I. Brain-gut axis as an example of the bio-psycho-social model, **5**
The role of psychosocial factors in gastrointestinal disorders, **73**
Williams EMI *see* Gatta G *et al*
Wilson AJ, Gibson PR. Role of urokinase and its receptor in basal and stimulated colonic epithelial cell migration in vitro, **105**
Winship IM *see* Iino H *et al*
Wittekind C *see* Tannapfel A *et al*
Wölfl G *see* Stacher G *et al*

Wong F *see* Jalan R *et al*
Wong H *see* Goode T *et al*
Woods CM *see* Chen JWC *et al*
Wright T *see* Spiller RC *et al*
Wright NA *see* Longman RJ *et al*
Wu KC *see* Jackson LM *et al*

Yamabe H *see* Schlemper RJ *et al*
Yamaguchi K *see* Takagi Y *et al*
Yamazaki M *see* Nakatani T *et al*
Yang H *see* Poulain D *et al*
see Vasiliauskas EA *et al*
Yang P-C *see* Benjamin MA *et al*
Yang S-Y *see* Yu M-W *et al*
Yee TT *et al*. The natural history of HCV in a cohort of haemophilic patients infected between 1961 and 1985, **845**
Yeoh KG *see* Zheng PY *et al*
Yeung MM-W *et al*. Characterisation of mucosal lymphoid aggregates in ulcerative colitis: immune cell phenotype and TcR-γδ expression, **215**
Yoshida S *see* Muto M *et al*
Yoshikawa Y *see* Etoh T *et al*
Yoshizaki N *see* Sakamaki S *et al*
Young HM *et al*. Embryology and development of the enteric nervous system, **12**
Young J *see* Iino H *et al*
see Jass JR *et al*
Yu M-W *et al*. Role of *N*-acetyltransferase polymorphisms in hepatitis B related hepatocellular carcinoma: impact of smoking on risk, **703**

Zagorski J *see* Bhatia M *et al*
Zeitz M *see* Stallmach A *et al*
Zeuzem S *see* Trojan J *et al*
Zheng PY *et al*. Association of peptic ulcer with increased expression of Lewis antigens but not *cagA*, *iceA*, and *vacA* in *Helicobacter pylori* isolates in an Asian population, **18**
Zinsmeister AR *see* Bharucha AE *et al*
Zouali H *see* Lesage S *et al*
Zylberberg H *et al*. Safety and efficacy of interferon-ribavirin combination therapy in HCV-HIV coinfected subjects: an early report, **694**

VOLUME 47 • SUBJECT INDEX

abdominal pain, Perceptual responses in patients with inflammatory and functional bowel disease, **497**

aberrant crypt foci, Sulindac and a cyclooxygenase-2 inhibitor, etodolac, increase APC mRNA in the colon of rats treated with azoxymethane, **812**

accommodation, Anatomy and physiology of the enteric nervous system, **15**

Receptors of the enteric nervous system: potential targets for drug therapy, **20**

aceruloplasminaemia, Hepatic iron overload in aceruloplasminaemia, **858**

achlorhydria, Heterogeneity of gastric histology and function in food cobalamin malabsorption: absence of atrophic gastritis and achlorhydria in some patients with severe malabsorption, **638**

actin, Immune reaction against the cytoskeleton in coeliac disease, **520**

acute gastritis, Acute gastritis with hypochlorhydria: report of 35 cases with long term follow up, **467**

acute pancreatitis, Sphincter of Oddi dysfunction produces acute pancreatitis in the possum, **539**

Treatment with neutralising antibody against cytokine induced neutrophil chemoattractant (CINC) protects rats against acute pancreatitis associated lung injury, **838**

adenocarcinoma, Columnar cuff cancer after restorative proctocolectomy for familial adenomatous polyposis, **732**

adenoma, DNA microsatellite instability and mismatch repair protein loss in adenomas presenting in hereditary non-polyposis colorectal cancer, **37**

The Vienna classification of gastrointestinal epithelial neoplasia, **251**

adenomas, Gastrin and gastrin receptor activation: an early event in the adenoma-carcinoma sequence, **820**

Gastrin, growth, and colon neoplasia: *review*, **747**

adenomatous polyposis coli, Sulindac and a cyclooxygenase-2 inhibitor, etodolac, increase APC mRNA in the colon of rats treated with azoxymethane, **812**

adenosine triphosphate, Targets of enteric motor neurones: smooth muscle cells, **38**

adenovirus, Assessment of efficiency and safety of adenovirus mediated gene transfer into normal and damaged murine livers, **563**

adrenergic receptors, Sympathetic input into the enteric nervous system, **33**

β adrenoceptor subtypes, Functional assessment of α and β adrenoceptor subtypes in human colonic circular and longitudinal (taenia coli) smooth muscle, **337**

adult respiratory distress syndrome, Treatment with neutralising antibody against cytokine induced neutrophil chemoattractant (CINC) protects rats against acute pancreatitis associated lung injury, **838**

afferent signalling, Local microcirculatory reflexes and afferent signalling in response to gastric acid challenge, **46**

afferents, The intestinal mucosa as a target and trigger for enteric reflexes, **44**

aganglionosis, Developmental disorders of the enteric nervous system, **81**

aging, Restricted diet rescues rat enteric motor neurones from age related cell death, **653**

alcohol, Alcohol and retinoid metabolism: *commentary*, **748**

Inhibition of retinol oxidation by ethanol in the rat liver and colon, **825**

alcohol dehydrogenase, Alcohol and retinoid metabolism: *commentary*, **748**

Association of *aldehyde dehydrogenase 2* gene polymorphism with multiple oesophageal dysplasia in head and neck cancer patients, **256**

Inhibition of retinol oxidation by ethanol in the rat liver and colon, **825**

aldehyde dehydrogenase, Association of *aldehyde dehydrogenase 2* gene polymorphism with multiple oesophageal dysplasia in head and neck cancer patients, **256**

alimentary canal, Microbe-host interactions in the alimentary tract: the gateway to understanding inflammatory bowel disease: *leader*, **162**

alkylating agents, Elevated levels of the pro-carcinogenic adduct, O^6-methylguanine, in normal DNA from the cancer prone regions of the large bowel, **362**

α_2 adrenoceptor, Alpha$_2$ adrenoceptors regulate proliferation of human intestinal epithelial cells, **242**

aminolaevulinic acid, Photodynamic therapy for dysplastic Barrett's oesophagus: a prospective, double blind, randomised, placebo controlled trial, **612**

5-aminosalicylic-acid, Mucosal 5-aminosalicylic acid concentration inversely correlates with severity of colonic inflammation in patients with ulcerative colitis, **410**

anastomosis, Columnar cuff cancer after restorative proctocolectomy for familial adenomatous polyposis, **732**

antibody dependent cell mediated cytotoxicity, Autoantibodies against the specific epitope of human tropomyosin(s) detected by a peptide based enzyme immunoassay in sera of patients with ulcerative colitis show antibody dependent cell mediated cytotoxicity against HLA-DPw9 transfected L cells, **236**

anticholinesterase, Intestinal pseudo-obstruction, **84**

antigen, Antineutrophil antibodies associated with ulcerative colitis interact with the antigen(s) during the process of apoptosis, **74**

anti-HCV core IgM, Anti-hepatitis C virus core IgM antibodies correlate with hepatitis C recurrence and its severity in liver transplant patients, **698**

anti-inflammatory agents, COX-1 and COX-2 products in the gut: therapeutic impact of COX-2 inhibitors: *leader*, **320**

anti-inflammatory cytokines, Mechanisms of endotoxin tolerance in patients with alcoholic liver cirrhosis: role of interleukin 10, interleukin 1 receptor antagonist, and soluble tumour necrosis factor receptors as well as effector cell desensitisation, **281**

anti-mannan antibodies, Mother to child transmission of anti- *S cerevisiae mannan antibodies (ASCA) in non-IBD families: letter*, **870**

anti-*Saccharomyces cerevisiae* antibody, Marker antibody expression stratifies Crohn's disease into immunologically homogeneous subgroups with distinct clinical characteristics, **487**

antimicrobial, Bifidobacterium strains from resident infant human gastrointestinal microflora exert antimicrobial activity, **646**

antimitochondrial antibodies, PBC: an infectious disease?: *review*, **586**

antineutrophil cytoplasmic antibody, Antineutrophil antibodies associated with ulcerative colitis interact with the antigen(s) during the process of apoptosis, **74**

Marker antibody expression stratifies Crohn's disease into immunologically homogeneous subgroups with distinct clinical characteristics, **487**

antinociception, Spinal and supraspinal modulation of visceral sensation, **69**

antiretroviral therapy, Management of the HIV-HCV coinfected patient: *commentary*, **608**

Safety and efficacy of interferon-ribavirin combination therapy in HCV-HIV coinfected subjects: an early report, **694**

antiviral therapy, The science, economics, and effectiveness of combination therapy for hepatitis C: *leader*, **159**

anxiety, Brain-gut axis as an example of the bio-psycho-social model, **5**

apoptosis, Antineutrophil antibodies associated with ulcerative colitis interact with the antigen(s) during the process of apoptosis, **74**

Bax is downregulated in inflamed colonic mucosa of ulcerative colitis, **228**

argon plasma coagulation, Re-epithelialisation of Barrett's oesophagus: *letter*, **741**

ascites, Improving prognosis in hepatorenal syndrome: *commentary*, **166**

Long term outcome after transjugular intrahepatic portosystemic stent-shunt in non-transplant cirrhotics with hepatorenal syndrome: a phase II study, **288**

atrophic gastritis, Heterogeneity of gastric histology and function in food cobalamin malabsorption: absence of atrophic gastritis and achlorhydria in some patients with severe malabsorption, **638**

atropine, A little rest and relaxation: *commentary*, **11**

Effect of atropine on proximal gastric motor and sensory function in normal subjects, **30**

attaching/effacing lesion, Enterohaemorrhagic *Escherichia coli* O157:H7 target Peyer's patches in humans and cause attaching/effacing lesions in both human and bovine intestine, **377**

autoantibody, Immune reaction against the cytoskeleton in coeliac disease, **520**

autocrine, Gastrin and gastrin receptor activation: an early event in the adenoma-carcinoma sequence, **820**

Gastrin, growth, and colon neoplasia: *review*, **747**

autonomic nervous system, The autonomic nervous system in functional bowel disorders, **78**

azathioprine, Increased incidence of non-Hodgkin's lymphoma in inflammatory bowel disease patients on immunosuppressive therapy but overall risk is low, **514**

azoxymethane, Sulindac and a cyclooxygenase-2 inhibitor, etodolac, increase APC mRNA in the colon of rats treated with azoxymethane, **812**

barostat, Effect of atropine on proximal gastric motor and sensory function in normal subjects, **30**

Barrett's oesophagus, Inflammation at the neo squamo-columnar junction in Barrett's oesophagus: *letter*, **870**

Mucin gene expression in Barrett's oesophagus: an in situ hybridisation and immunohistochemical study, **753**

Photodynamic therapy for dysplastic Barrett's oesophagus: a prospective, double blind, randomised, placebo controlled trial, **612**

Proton pump inhibitors for Barrett's oesophagus: *letter*, **154**

Re-epithelialisation of Barrett's oesophagus: *letter*, **741**
basal lymphoid aggregates, Characterisation of mucosal lymphoid aggregates in ulcerative colitis: immune cell phenotype and TcR-γδ expression, **215**
Bax, Bax is downregulated in inflamed colonic mucosa of ulcerative colitis, **228**
Bcl-2, Bax is downregulated in inflamed colonic mucosa of ulcerative colitis, **228**
Bcl-xL, Bax is downregulated in inflamed colonic mucosa of ulcerative colitis, **228**
bifidobacteria, Bifidobacterium strains from resident infant human gastrointestinal microflora exert antimicrobial activity, **646**
bile duct calculi, Clearance of refractory bile duct stones with extracorporeal shockwave lithotripsy, **728**
bile specimens, Detection of Ki-*ras* gene point mutations in bile specimens for the differential diagnosis of malignant and benign biliary strictures, **357**
biliary strictures, Detection of Ki-*ras* gene point mutations in bile specimens for the differential diagnosis of malignant and benign biliary strictures, **357**
biopsy, A reproducible grading scale for histological assessment of inflammation in ulcerative colitis, **404**
birth date, Measles, month of birth, and Crohn's disease, **801**
bismuth citrate, Inhibition of inducible nitric oxide synthase in the human intestinal epithelial cell line, DLD-1, by the inducers of heme oxygenase 1, bismuth salts, heme, and nitric oxide donors, **771**
body mass index, No relation between body mass and gastro-oesophageal reflux symptoms in a Swedish population based study, **26**
brain-gut, Brain-gut axis as an example of the bio-psycho-social model, **5**
butyrate, Butyrate inhibits inflammatory responses through NFκB inhibition: implications for Crohn's disease, **397**
Role of urokinase and its receptor in basal and stimulated colonic epithelial cell migration in vitro, **105**

Caco2, Alpha$_2$ adrenoceptors regulate proliferation of human intestinal epithelial cells, **242**
CaCO-2 cells, Non-pathogenic bacteria elicit a differential cytokine response by intestinal epithelial cell/leucocyte co-cultures, **79**
cadherin, Radiation induced cytochrome c release causes loss of rat colonic fluid absorption by damage to crypts and pericryptal myofibroblasts, **675**
caerulein, Treatment with neutralising antibody against cytokine induced neutrophil chemoattractant (CINC) protects rats against acute pancreatitis associated lung injury, **838**
CagA, Association of peptic ulcer with increased expression of Lewis antigens but not *cagA, iceA,* and *vacA* in *Helicobacter pylori* isolates in an Asian population, **18**
CagA: a role at last: *science alert*, **330**
calcineurin, Blockade of the integrin αLβ2 but not of integrins α4 and/or β7 significantly prolongs intestinal allograft survival in mice, **97**
calcitonin gene related peptide, Local microcirculatory reflexes and afferent signalling in response to gastric acid challenge, **46**
***Campylobacter*,** Increased rectal mucosal enteroendocrine cells, T lymphocytes, and increased gut permeability following acute *Campylobacter* enteritis and in post-dysenteric irritable bowel syndrome, **804**
cancer aggressiveness, Increased expression of collagenase-3 (MMP-13) and MT1-MMP in oesophageal cancer is related to cancer aggressiveness, **50**
candidate genes, Vitamin D receptor gene polymorphism: association with Crohn's disease susceptibility, **211**
case control study, Insulin and gall stones: a population case control study in southern Italy, **144**
CD11, Heparin attenuates TNF-α induced inflammatory response through a CD11b dependent mechanism, **88**
CD95, Bax is downregulated in inflamed colonic mucosa of ulcerative colitis, **228**
***CDH1*,** The E-cadherin gene (*CDH1*) variants T340A and L599V in gastric and colorectal cancer patients in Korea, **262**
cell cycle, Interleukin 6 and liver regeneration: *review*, **309**
cell immunity, Function of immunoglobulin A in immunity: *review*, **751**
cell memory, Memory in the enteric nervous system, **60**
central sensitisation, Visceral pain—central sensitisation, **56**
ceruloplasmin, Hepatic iron overload in aceruloplasminaemia, **858**
chemokines, Non-pathogenic bacteria elicit a differential cytokine response by intestinal epithelial cell/leucocyte co-cultures, **79**
Treatment with neutralising antibody against cytokine induced neutrophil chemoattractant (CINC) protects rats against acute pancreatitis associated lung injury, **838**
chemotherapy, Chemotherapy for cancer causes apoptosis that precedes hypoplasia in crypts of the small intestine in humans, **632**
children, Topical tacrolimus may be effective in the treatment of oral and perineal Crohn's disease, **436**
cholangiocarcinoma, Frequency of p16^{INK4A} alterations and k-*ras* mutations in intrahepatic cholangiocarcinoma of the liver, **721**
cholecystokinin octapeptide, Sphincter of Oddi dysfunction produces acute pancreatitis in the possum, **539**
cholera toxin; *Escherichia coli* **toxins,** Effect of vasoactive intestinal polypeptide (VIP) antagonism on rat jejunal fluid and electrolyte secretion induced by cholera and *Escherichia coli* enterotoxins, **382**
cholestasis, The molecular genetics of familial intrahepatic cholestasis: *leader*, **1**
cholinergic excitation, Interstitial cells of Cajal in enteric neurotransmission, **40**
chromosome 12, Genetic analyses of chromosome 12 loci in Crohn's disease, **787**
Genetics of inflammatory bowel disease: a puzzle with contradictions?: *review*, **746**
chronic abdominal pain, The autonomic nervous system in functional bowel disorders, **78**
chronic pancreatitis, Expression of interleukin 8 (IL-8) and substance P in human chronic pancreatitis, **423**
cigarette smoking, The role of polyamines in gastric mucus synthesis inhibited by cigarette smoke or its extract, **170**
cirrhosis, Evidence of a systemic phenomenon for oxidative stress in cholestatic liver disease, **710**
Hepatitis C virus related cirrhosis: time to occurrence of hepatocellular carcinoma and death, **131**
Increased renal production of C-type natriuretic peptide (CNP) in patients with cirrhosis and functional renal failure, **852**
Interferon therapy reduces the risk for hepatocellular carcinoma, **610**
co-amoxiclav, Co-amoxiclav jaundice: clinical and histological features and HLA class II association, **717**
cobalamin, Heterogeneity of gastric histology and function in food cobalamin malabsorption: absence of atrophic gastritis and achlorhydria in some patients with severe malabsorption, **638**
cobalamin malabsorption, Heterogeneity of gastric histology and function in food cobalamin malabsorption: absence of atrophic gastritis and achlorhydria in some patients with severe malabsorption, **638**
coeliac disease, Coeliac disease and unfavourable outcome of pregnancy: *letter*, **598**
Development of a novel rapid non-invasive screening test for coeliac disease, **628**
Getting to grips with gluten: *leader*, **743**
IgG$_1$ antiendomysium and IgG antitissue transglutaminase (anti-tTG) antibodies in coeliac patients with selective IgA deficiency, **366**
Immune reaction against the cytoskeleton in coeliac disease, **520**
collagenase-3, Increased expression of collagenase-3 (MMP-13) and MT1-MMP in oesophageal cancer is related to cancer aggressiveness, **50**
colon, Elevated plasma glucagon-like peptide 1 and 2 concentrations in ileum resected short bowel patients with a preserved colon, **370**
Gastrin and gastrin receptor activation: an early event in the adenoma-carcinoma sequence, **820**
Gastrin, growth, and colon neoplasia: *review*, **747**
Is the colonic reparative cell lineage yet to be discovered?: *occasional viewpoint*, **307**
Neoplastic progression occurs through mutator pathways in hyperplastic polyposis of the colorectum, **43**
Radiation induced cytochrome c release causes loss of rat colonic fluid absorption by damage to crypts and pericryptal myofibroblasts, **675**
Role of urokinase and its receptor in basal and stimulated colonic epithelial cell migration in vitro, **105**
Sulindac and a cyclooxygenase-2 inhibitor, etodolac, increase APC mRNA in the colon of rats treated with azoxymethane, **812**
The Vienna classification of gastrointestinal epithelial neoplasia, **251**
colon adenocarcinoma, Evaluation of global DNA hypomethylation in human colon cancer tissues by immunohistochemistry and image analysis, **689**
colon cancer, Replication error phenotype in colorectal cancer: *letter*, **597**
colon transit, Effects of a serotonin 5-HT$_4$ receptor antagonist SB-207266 on gastrointestinal motor and sensory function in humans, **667**
colonic epithelial cells, Inhibition of inducible nitric oxide synthase in the human intestinal epithelial cell line, DLD-1, by the inducers of heme oxygenase 1, bismuth salts, heme, and nitric oxide donors, **771**
colonic mechanosensory afferents, Control of peripheral sympathetic prevertebral ganglion neurones by colonic mechanosensory afferents, **28**
colonic motility, Control of peripheral sympathetic prevertebral ganglion neurones by colonic mechanosensory afferents, **28**
colonic polyps, A prospective single centre study comparing computed tomography pneumocolon against colonoscopy in the detection of colorectal neoplasms, **832**
colonography, Diagnostic accuracy and interobserver agreement of CT colonography (virtual colonoscopy), **126**
colonoscopy, A prospective single centre study comparing computed tomography pneumocolon against colonoscopy in the detection of colorectal neoplasms, **832**
Diagnostic accuracy and interobserver agreement of CT colonography (virtual colonoscopy), **126**

colorectal cancer, A prospective single centre study comparing computed tomography pneumocolon against colonoscopy in the detection of colorectal neoplasms, **832**
Alterations of the PPP2R1B gene located at 11q23 in human colorectal cancers, **268**
Colorectal cancer survival in Europe: the Will Rogers phenomenon revisited: *commentary*, **463**
Differential expression of cyclooxygenase 2 in human colorectal cancer: *letter*, **154**
DNA mismatch repair genes and colorectal cancer: *review*, **148**
Elevated levels of the pro-carcinogenic adduct, O^6-methylguanine, in normal DNA from the cancer prone regions of the large bowel, **362**
hMLH1 and hMSH2 immunostaining in colorectal cancer: *letter*, **315**
Stimulation of colorectal cancer cell line growth by ET-1 and its inhibition by ET_A antagonists, **685**
The E-cadherin gene (*CDH1*) variants T340A and L599V in gastric and colorectal cancer patients in Korea, **262**
Understanding variations in survival for colorectal cancer in Europe: a EUROCARE high resolution study, **533**
colorectal cancer cell lines, Stimulation of colorectal cancer cell line growth by ET-1 and its inhibition by ET_A antagonists, **685**
compliance, Effect of atropine on proximal gastric motor and sensory function in normal subjects, **30**
computed tomography, A prospective single centre study comparing computed tomography pneumocolon against colonoscopy in the detection of colorectal neoplasms, **832**
Diagnostic accuracy and interobserver agreement of CT colonography (virtual colonoscopy), **126**
conjugated dienes, Evidence of a systemic phenomenon for oxidative stress in cholestatic liver disease, **710**
consent, Informed consent: *letter*, **455**
Informed consent: *letter*, **455**
constipation, Why the enteric nervous system is important to clinicians, **8**
COX-2 inhibitor, COX-2 inhibition with rofecoxib does not increase intestinal permeability in healthy subjects: a double blind crossover study comparing rofecoxib with placebo and indomethacin, **527**
Crohn's disease, A simple method for assessing intestinal inflammation in Crohn's disease, **506**
Butyrate inhibits inflammatory responses through NFκB inhibition: implications for Crohn's disease, **397**
Coordinated localisation of mucins and trefoil peptides in the ulcer associated cell lineage and the gastrointestinal mucosa, **792**
Differential expression of matrix metalloproteinases and their tissue inhibitors in colon mucosa of patients with inflammatory bowel disease, **63**
Epigenetics of inflammatory bowel disease, **302**
Functional genomics in gastroenterology: *leader*, **601**
Genetic analyses of chromosome 12 loci in Crohn's disease, **787**
Genetics of inflammatory bowel disease: a puzzle with contradictions?: *review*, **746**
Marker antibody expression stratifies Crohn's disease into immunologically homogeneous subgroups with distinct clinical characteristics, **487**
Measles, month of birth, and Crohn's disease, **801**
MMPs in the gut: inflammation hits the matrix: *commentary*, **12**
Mother to child transmission of anti- *S cerevisiae mannan antibodies (ASCA) in non-IBD families: letter*, **870**
Thiol methyltransferase activity in inflammatory bowel disease, **206**
Topical tacrolimus may be effective in the treatment of oral and perineal Crohn's disease, **436**
Use of Doppler ultrasound in Crohn's disease: *letter*, **156**
cryptogenic hepatitis, Dissecting out crytogenic liver disease: *commentary*, **328**
Pathological and virological findings in patients with persistent hypertransaminasaemia of unknown aetiology, **429**
cryptogenic liver disease, Dissecting out crytogenic liver disease: *commentary*, **328**
Pathological and virological findings in patients with persistent hypertransaminasaemia of unknown aetiology, **429**
C-type natriuretic peptide, Increased renal production of C-type natriuretic peptide (CNP) in patients with cirrhosis and functional renal failure, **852**
cyclooxygenase, Cyclooxygenase (COX) 1 and 2 in normal, inflamed, and ulcerated human gastric mucosa, **762**
Differential expression of cyclooxygenase 2 in human colorectal cancer: *letter*, **154**
Prostaglandins, COX-2, and sensory perception, **66**
Sulindac and a cyclooxygenase-2 inhibitor, etodolac, increase APC mRNA in the colon of rats treated with azoxymethane, **812**
cyclooxygenase inhibitors, COX-1 and COX-2 products in the gut: therapeutic impact of COX-2 inhibitors: *leader*, **320**
cyclosporin, Increased incidence of non-Hodgkin's lymphoma in inflammatory bowel disease patients on immunosuppressive therapy but overall risk is low, **514**
cystic fibrosis, Fibrosing colonopathy in an adult caused by over use of pancreatic enzyme supplements: *letter*, **598**
cytochrome c, Radiation induced cytochrome c release causes loss of rat colonic fluid absorption by damage to crypts and pericryptal myofibroblasts, **675**
cytokine genes, Epigenetics of inflammatory bowel disease, **302**
cytokines, Butyrate inhibits inflammatory responses through NFκB inhibition: implications for Crohn's disease, **397**
Cytokine gene expression during postnatal small intestinal development: regulation by glucocorticoids, **192**
Inflammatory mediators in human acute pancreatitis: clinical and pathophysiological implications, **546**
Inhibition of inducible nitric oxide synthase in the human intestinal epithelial cell line, DLD-1, by the inducers of heme oxygenase 1, bismuth salts, heme, and nitric oxide donors, **771**
Neuroimmune alterations of ENS functioning, **63**
cytoskeleton, Immune reaction against the cytoskeleton in coeliac disease, **520**
cytotoxicity, Cytotoxic T lymphocyte responses and CTL epitope escape mutation in HBsAg, anti-HBe positive individuals, **137**
cytotoxin associated gene A, High prevalence of potentially virulent strains of *Helicobacter pylori* in the general male British population, **23**

α defensin, Antimicrobial peptides in innate intestinal host defence: *science alert*, **16**
d-galactosamine, TNF-α dependent production of inducible nitric oxide is involved in PGE_1 protection against acute liver injury, **553**
diabetes, Hepatic iron overload in aceruloplasminaemia, **858**
diagnosis, Acid suppression and upper GI cancer diagnosis: *letter*, **740**
Colorectal cancer survival in Europe: the Will Rogers phenomenon revisited: *commentary*, **463**
Developmental disorders of the enteric nervous system, **81**
diagnostic accuracy, Diagnostic accuracy and interobserver agreement of CT colonography (virtual colonoscopy), **126**
diet, Hepatitis E acquired in the UK: *letter*, **740**
DNA, DNA mismatch repair genes and colorectal cancer: *review*, **148**
DNA adducts, Elevated levels of the pro-carcinogenic adduct, O^6-methylguanine, in normal DNA from the cancer prone regions of the large bowel, **362**
DNA hypomethylation, Evaluation of global DNA hypomethylation in human colon cancer tissues by immunohistochemistry and image analysis, **689**
DNA methylation, Epigenetics of inflammatory bowel disease, **302**
DNA mismatch repair, Neoplastic progression occurs through mutator pathways in hyperplastic polyposis of the colorectum, **43**
dopexamine, Laser Doppler flowmetry is useful in the clinical management of small bowel transplantation, **580**
Doppler ultrasound, Use of Doppler ultrasound in Crohn's disease: *letter*, **156**
dot blot immunobinding assay, Development of a novel rapid non-invasive screening test for coeliac disease, **628**
dyspepsia, Gastric cancer in patients with benign dyspepsia: *letter*, **741**
dysplasia, The Vienna classification of gastrointestinal epithelial neoplasia, **251**

early carcinoma, The Vienna classification of gastrointestinal epithelial neoplasia, **251**
early gastric cancer, Natural history of early gastric cancer: a non-concurrent, long term, follow up study, **618**
Natural history of early gastric cancer: *commentary*, **609**
E-cadherin, The E-cadherin gene (*CDH1*) variants T340A and L599V in gastric and colorectal cancer patients in Korea, **262**
echinococcosis, Percutaneous drainage of echinococcal cysts (PAIR—puncture, aspiration, injection, reaspiration): results of a worldwide survey for assessment of its safety and efficacy: *letter*, **156**
emotional motor system, Spinal and supraspinal modulation of visceral sensation, **69**
endoscopic retrograde cholangiopancreatography, ERCP training—time for change: *leader*, **459**
endoscopic ultrasonography, Evaluation of prognosis of squamous cell carcinoma of the oesophagus by endoscopic ultrasonography, **120**
endoscopy, ERCP training—time for change: *leader*, **459**
Informed consent: *letter*, **455**
Informed consent: *letter*, **455**
One minute unbuffered urease test: should it be read at 10 minutes?: *letter*, **155**
endothelin receptor, Stimulation of colorectal cancer cell line growth by ET-1 and its inhibition by ET_A antagonists, **685**
endothelin-1, Stimulation of colorectal cancer cell line growth by ET-1 and its inhibition by ET_A antagonists, **685**
enteral nutrition, Imbalance of stromelysin-1 and TIMP-1 in the mucosal lesions of children with inflammatory bowel disease, **57**
enteric, Anatomy and physiology of the enteric nervous system, **15**
enteric nervous system, Effect of vasoactive intestinal polypeptide (VIP) antagonism on rat jejunal fluid and electrolyte secretion induced by cholera and *Escherichia coli* enterotoxins, **382**
Functional dyspepsia—a conceptual framework, **3**
Memory in the enteric nervous system, **60**
Postjunctional electrical mechanisms of enteric neurotransmission, **23**

Postjunctional electrical mechanisms of enteric neurotransmission, **23**
Postoperative ileus, **85**
Postoperative ileus: *leader*, **85**
The enteric nervous system in health and disease, **1**
enteric neurones, Restricted diet rescues rat enteric motor neurones from age related cell death, **653**
enteric neurotransmission, Interstitial cells of Cajal in enteric neurotransmission, **40**
enteric plexus, Vagal input to the enteric nervous system, **30**
enterochromaffin cell, Sympathetic input into the enteric nervous system, **33**
enterochromaffin cells, The intestinal mucosa as a target and trigger for enteric reflexes, **44**
enteroendocrine cell, Increased rectal mucosal enteroendocrine cells, T lymphocytes, and increased gut permeability following acute *Campylobacter* enteritis and in post-dysenteric irritable bowel syndrome, **804**
enterohaemorrhagic *E coli* O157:H7, Enterohaemorrhagic *Escherichia coli* O157:H7 target Peyer's patches in humans and cause attaching/effacing lesions in both human and bovine intestine, **377**
enteropathogenic *E coli*, Non-pathogenic bacteria elicit a differential cytokine response by intestinal epithelial cell/leucocyte co-cultures, **79**
epidemiology, Insulin and gall stones: a population case control study in southern Italy, **144**
Measles, month of birth, and Crohn's disease, **801**
epidermal growth factor, Potency and stability of C terminal truncated human epidermal growth factor, **622**
Role of urokinase and its receptor in basal and stimulated colonic epithelial cell migration in vitro, **105**
epidural analgesia, Postoperative ileus, **85**
epigenetics, Epigenetics of inflammatory bowel disease, **302**
***Escherichia coli*,** Enterohaemorrhagic *Escherichia coli* O157:H7 target Peyer's patches in humans and cause attaching/effacing lesions in both human and bovine intestine, **377**
ethanol, Alcohol and retinoid metabolism: *commentary*, **748**
Inhibition of retinol oxidation by ethanol in the rat liver and colon, **825**
Europe, Colorectal cancer survival in Europe: the Will Rogers phenomenon revisited: *commentary*, **463**
Understanding variations in survival for colorectal cancer in Europe: a EUROCARE high resolution study, **533**
expression screening, Functional genomics in gastroenterology: *leader*, **601**
extracellular matrix, Differential expression of matrix metalloproteinases and their tissue inhibitors in colon mucosa of patients with inflammatory bowel disease, **63**
extracorporeal lithotripsy, Clearance of refractory bile duct stones with extracorporeal shockwave lithotripsy, **728**

familial adenomatous polyposis, Columnar cuff cancer after restorative proctocolectomy for familial adenomatous polyposis, **732**
family history, The E-cadherin gene (*CDH1*) variants T340A and L599V in gastric and colorectal cancer patients in Korea, **262**
fascioliasis, Acute *Fasciola hepatica* infection attributed to chewing khat: *review*, **584**
fatty liver, IL-18 and IL-12 induce intestinal inflammation and fatty liver in mice in an IFN-γ dependent manner, **779**
ferritin, HFE gene mutation (C282Y) and phenotypic expression among a hospitalised population in a high prevalence area of haemochromatosis, **575**
fibroblasts, Cytokine gene expression during postnatal small intestinal development: regulation by glucocorticoids, **192**
fibrosing colonopathy, Fibrosing colonopathy in an adult caused by over use of pancreatic enzyme supplements: *letter*, **598**
flow motion phenomenon, Laser Doppler flowmetry is useful in the clinical management of small bowel transplantation, **580**
fucosyltransferases, Role of fucosyltransferases in the association between apomucin and Lewis antigen expression in normal and malignant gastric epithelium, **349**
fulminant hepatitis, Assessment of efficiency and safety of adenovirus mediated gene transfer into normal and damaged murine livers, **563**
functional bowel disease, Prostaglandins, COX-2, and sensory perception, **66**
functional bowel disorders, The autonomic nervous system in functional bowel disorders, **78**
functional dyspepsia, Differences in gastric mechanosensory function after repeated ramp distensions in non-consulters with dyspepsia and healthy controls, **332**
Distension in non-consulting dyspeptics: a swell idea: *commentary*, **326**
Functional dyspepsia—a conceptual framework, **3**
No *H pylori*: less dyspepsia?: *commentary*, **461**
The role of psychosocial factors in gastrointestinal disorders, **73**
functional gastrointestinal disorders, British Society of Gastroenterology guidelines for the management of the irritable bowel syndrome, **1**

gallstones, Insulin and gall stones: a population case control study in southern Italy, **144**
gastric accommodation, Functional dyspepsia—a conceptual framework, **3**
gastric acid secretion, Acute gastritis with hypochlorhydria: report of 35 cases with long term follow up, **467**
gastric cancer, Gastric cancer in patients with benign dyspepsia: *letter*, **741**
The E-cadherin gene (*CDH1*) variants T340A and L599V in gastric and colorectal cancer patients in Korea, **262**
gastric carcinogenesis, Role of fucosyltransferases in the association between apomucin and Lewis antigen expression in normal and malignant gastric epithelium, **349**
gastric emptying, Gastric emptying: a contributory factor in gastro-oesophageal reflux activity?, **661**
gastric fundus, Effect of atropine on proximal gastric motor and sensory function in normal subjects, **30**
gastric mucins, Role of fucosyltransferases in the association between apomucin and Lewis antigen expression in normal and malignant gastric epithelium, **349**
gastric mucosa, Cyclooxygenase (COX) 1 and 2 in normal, inflamed, and ulcerated human gastric mucosa, **762**
Expression of leptin and leptin receptor isoforms in the human stomach, **481**
Is there any relationship between IEL and lymphoid follicles in the gastric mucosa?: *letter*, **314**
gastric tone, A little rest and relaxation: *commentary*, **11**
gastrin, Gastrin and gastrin receptor activation: an early event in the adenoma-carcinoma sequence, **820**
Gastrin, growth, and colon neoplasia: *review*, **747**
Heterogeneity of gastric histology and function in food cobalamin malabsorption: absence of atrophic gastritis and achlorhydria in some patients with severe malabsorption, **638**
Leptin secretion and leptin receptor in the human stomach, **178**
gastritis, Acid secretion in *H pylori* associated enlarged fold gastritis: *letter*, **313**
gastroenterology, Quality of life measurement in gastrointestinal and liver disorders: *review*, **444**
gastrointestinal cancer, Acid suppression and upper GI cancer diagnosis: *letter*, **740**
gastrointestinal disease, Mucins and mucosal protection in the gastrointestinal tract: new prospects for mucins in the pathology of gastrointestinal disease: *review*, **589**
Quality of life measurement in gastrointestinal and liver disorders: *review*, **444**
gastrointestinal disorders, Functional genomics in gastroenterology: *leader*, **601**
gastrointestinal function, British Society of Gastroenterology guidelines for the management of the irritable bowel syndrome, **1**
gastrointestinal infection, Bifidobacterium strains from resident infant human gastrointestinal microflora exert antimicrobial activity, **646**
gastrointestinal motility, Differences in gastric mechanosensory function after repeated ramp distensions in non-consulters with dyspepsia and healthy controls, **332**
Distension in non-consulting dyspeptics: a swell idea: *commentary*, **326**
Receptors of the enteric nervous system: potential targets for drug therapy, **20**
gastrointestinal motor function, Effects of a serotonin 5-HT_4 receptor antagonist SB-207266 on gastrointestinal motor and sensory function in humans, **667**
gastrointestinal sensory function, Effects of a serotonin 5-HT_4 receptor antagonist SB-207266 on gastrointestinal motor and sensory function in humans, **667**
gastro-oesophageal reflux, Gastric emptying: a contributory factor in gastro-oesophageal reflux activity?, **661**
No relation between body mass and gastro-oesophageal reflux symptoms in a Swedish population based study, **26**
gastro-oesophageal reflux disease, A little rest and relaxation: *commentary*, **11**
Inflammation at the neo squamo-columnar junction in Barrett's oesophagus: *letter*, **870**
gastroscopy, Acid suppression and upper GI cancer diagnosis: *letter*, **740**
Informed consent: *letter*, **455**
Informed consent: *letter*, **455**
gene therapy, Combined suicide and cytokine gene therapy for peritoneal carcinomatosis, **343**
Suicide and the not-so-innocent bystander: *review*, **327**
genetic linkage, Epigenetics of inflammatory bowel disease, **302**
genetic polymorphism, Role of *N*-acetyltransferase polymorphisms in hepatitis B related hepatocellular carcinoma: impact of smoking on risk, **703**
genetics, Vitamin D receptor gene polymorphism: association with Crohn's disease susceptibility, **211**
genomic imprinting, Epigenetics of inflammatory bowel disease, **302**
genomics, Functional genomics in gastroenterology: *leader*, **601**
glucagon-like peptides, Elevated plasma glucagon-like peptide 1 and 2 concentrations in ileum resected short bowel patients with a preserved colon, **370**

glucose transport, Effect of proinflammatory interleukins on jejunal nutrient transport, **184**
glutamine, Effect of growth hormone and glutamine on the short bowel: five years later: *commentary*, **164**
Effect of high dose growth hormone with glutamine and no change in diet on intestinal absorption in short bowel patients: a randomised, double blind, crossover, placebo controlled study, **199**
glutathione, Evidence of a systemic phenomenon for oxidative stress in cholestatic liver disease, **710**
gluten, Getting to grips with gluten: *leader*, **743**
gluten free diet, Coeliac disease and unfavourable outcome of pregnancy: *letter*, **598**
glycosoaminoglycan, Heparin and inflammation: a new use for an old GAG?: *commentary*, **14**
granulocyte macrophage-colony stimulating factor, Combined suicide and cytokine gene therapy for peritoneal carcinomatosis, **343**
Suicide and the not-so-innocent bystander: *review*, **327**
growth factors, Glucagon-like peptide-2 enhances intestinal epithelial barrier function of both transcellular and paracellular pathways in the mouse, **112**
growth hormone, Effect of growth hormone and glutamine on the short bowel: five years later: *commentary*, **164**
Effect of high dose growth hormone with glutamine and no change in diet on intestinal absorption in short bowel patients: a randomised, double blind, crossover, placebo controlled study, **199**
The stomach talks with the pituitary: *review*, **168**
guidelines, British Society of Gastroenterology guidelines for the management of the irritable bowel syndrome, **1**
gut neurotransmitters, Why the enteric nervous system is important to clinicians, **8**
gut-brain communication, The autonomic nervous system in functional bowel disorders, **78**

haemochromatosis, Hepatic iron overload in aceruloplasminaemia, **858**
HFE gene mutation (C282Y) and phenotypic expression among a hospitalised population in a high prevalence area of haemochromatosis, **575**
haemophilia, The natural history of HCV in a cohort of haemophilic patients infected between 1961 and 1985, **845**
head and neck cancer, Association of *aldehyde dehydrogenase 2* gene polymorphism with multiple oesophageal dysplasia in head and neck cancer patients, **256**
health related quality of life, Quality of life measurement in gastrointestinal and liver disorders: *review*, **444**
health status, Quality of life measurement in gastrointestinal and liver disorders: *review*, **444**
heart rate variability, The autonomic nervous system in functional bowel disorders, **78**
***Helicobacter pylori*,** Acute gastritis with hypochlorhydria: report of 35 cases with long term follow up, **467**
CagA: a role at last: *science alert*, **330**
Cyclooxygenase (COX) 1 and 2 in normal, inflamed, and ulcerated human gastric mucosa, **762**
Heterogeneity of gastric histology and function in food cobalamin malabsorption: absence of atrophic gastritis and achlorhydria in some patients with severe malabsorption, **638**
Is there any relationship between IEL and lymphoid follicles in the gastric mucosa?: *letter*, **314**
H pylori and Lewis antigens : *commentary*, **10**
No *H pylori*: less dyspepsia?: *commentary*, **461**
One minute unbuffered urease test: should it be read at 10 minutes?: *letter*, **155**
Short course acid suppressive treatment for patients with functional dyspepsia: results depend on *Helicobacter pylori* status, **473**
Acid secretion in *H pylori* associated enlarged fold gastritis: *letter*, **313**
High prevalence of potentially virulent strains of *Helicobacter pylori* in the general male British population, **23**
heme oxygenase-1, Inhibition of inducible nitric oxide synthase in the human intestinal epithelial cell line, DLD-1, by the inducers of heme oxygenase 1, bismuth salts, heme, and nitric oxide donors, **771**
heparin, Heparin and inflammation: a new use for an old GAG?: *commentary*, **14**
hepatectomy, Interleukin 6 and liver regeneration: *review*, **309**
hepatic encephalopathy, Effect of l-ornithine-l-aspartate on patients with and without TIPS undergoing glutamine challenge: a double blind, placebo controlled trial, **571**
hepatitis B core antigen, Cytotoxic T lymphocyte responses and CTL epitope escape mutation in HBsAg, anti-HBe positive individuals, **137**
hepatitis B virus, Cytotoxic T lymphocyte responses and CTL epitope escape mutation in HBsAg, anti-HBe positive individuals, **137**
Dissecting out crytogenic liver disease: *commentary*, **328**
Outcome of lamivudine resistant hepatitis B virus infection in liver transplant recipients in Singapore: *letter*, **741**
Pathological and virological findings in patients with persistent hypertransaminasaemia of unknown aetiology, **429**
hepatitis C, Anti-hepatitis C virus core IgM antibodies correlate with hepatitis C recurrence and its severity in liver transplant patients, **698**
Hepatitis C virus related cirrhosis: time to occurrence of hepatocellular carcinoma and death, **131**
Prevalence of hepatitis C among pregnant women attending an inner London obstetric department: uptake and acceptability of named antenatal testing, **277**
Screening and shouting about HCV: *commentary*, **165**
The science, economics, and effectiveness of combination therapy for hepatitis C: *leader*, **159**
hepatitis C virus, Dissecting out crytogenic liver disease: *commentary*, **328**
Management of the HIV-HCV coinfected patient: *commentary*, **608**
Pathological and virological findings in patients with persistent hypertransaminasaemia of unknown aetiology, **429**
Safety and efficacy of interferon-ribavirin combination therapy in HCV-HIV coinfected subjects: an early report, **694**
The natural history of HCV in a cohort of haemophilic patients infected between 1961 and 1985, **845**
Timing of transfusion, anti-HBc, and hepatitis C virus related hepatocellular carcinoma: *letter*, **313**
Hepatitis E, Hepatitis E acquired in the UK: *letter*, **740**
hepatitis G virus, Dissecting out crytogenic liver disease: *commentary*, **328**
Pathological and virological findings in patients with persistent hypertransaminasaemia of unknown aetiology, **429**
hepatocellular carcinoma, Hepatitis C virus related cirrhosis: time to occurrence of hepatocellular carcinoma and death, **131**
Needle tract recurrence of hepatocellular carcinoma after liver transplantation: *review*, **301**
Role of *N*-acetyltransferase polymorphisms in hepatitis B related hepatocellular carcinoma: impact of smoking on risk, **703**
Timing of transfusion, anti-HBc, and hepatitis C virus related hepatocellular carcinoma: *letter*, **313**
hepatopulmonary syndromes, Liver disease and pulmonary hypertension: *letter*, **595**
hepatorenal syndrome, Improving prognosis in hepatorenal syndrome: *commentary*, **166**
Long term outcome after transjugular intrahepatic portosystemic stent-shunt in non-transplant cirrhotics with hepatorenal syndrome: a phase II study, **288**
heptocellular cancer, Interferon therapy reduces the risk for hepatocellular carcinoma, **610**
hereditary non-polyposis colorectal cancer, DNA microsatellite instability and mismatch repair protein loss in adenomas presenting in hereditary non-polyposis colorectal cancer, **37**
HFE gene mutation, HFE gene mutation (C282Y) and phenotypic expression among a hospitalised population in a high prevalence area of haemochromatosis, **575**
hindgut, Embryology and development of the enteric nervous system, **12**
histopathology, Frequency of $p16^{INK4A}$ alterations and k-*ras* mutations in intrahepatic cholangiocarcinoma of the liver, **721**
HLA, Cytotoxic T lymphocyte responses and CTL epitope escape mutation in HBsAg, anti-HBe positive individuals, **137**
HLA-DPw9, Autoantibodies against the specific epitope of human tropomyosin(s) detected by a peptide based enzyme immunoassay in sera of patients with ulcerative colitis show antibody dependent cell mediated cytotoxicity against HLA-DPw9 transfected L cells, **236**
hMLH1, hMLH1 and hMSH2 immunostaining in colorectal cancer: *letter*, **315**
host defence, Antimicrobial peptides in innate intestinal host defence: *science alert*, **16**
5-HT_4 receptors, Effects of a serotonin 5-HT_4 receptor antagonist SB-207266 on gastrointestinal motor and sensory function in humans, **667**
human colon, Functional assessment of β adrenoceptor subtypes in human colonic circular and longitudinal (taenia coli) smooth muscle, **337**
human immunodeficiency virus, Management of the HIV-HCV coinfected patient: *commentary*, **608**
Safety and efficacy of interferon-ribavirin combination therapy in HCV-HIV coinfected subjects: an early report, **694**
The natural history of HCV in a cohort of haemophilic patients infected between 1961 and 1985, **845**
human leucocyte antigen, Co-amoxiclav jaundice: clinical and histological features and HLA class II association, **717**
human stomach, Leptin secretion and leptin receptor in the human stomach, **178**
humoral immunity, Antineutrophil antibodies associated with ulcerative colitis interact with the antigen(s) during the process of apoptosis, **74**
hydrogen sulphide, Thiol methyltransferase activity in inflammatory bowel disease, **206**
5-hydroxytryptamine, The intestinal mucosa as a target and trigger for enteric reflexes, **44**
Why the enteric nervous system is important to clinicians, **8**

5-hydroxytryptamine agonists, Intestinal pseudo-obstruction, **84**
5-hydroxytryptamine receptors, Receptors of the enteric nervous system: potential targets for drug therapy, **20**
hyperalgesia, Visceral pain—peripheral sensitisation, **54**
hyperplastic polyposis, Neoplastic progression occurs through mutator pathways in hyperplastic polyposis of the colorectum, **43**
hypervigilance, Spinal and supraspinal modulation of visceral sensation, **69**
hypochlorhydria, Acute gastritis with hypochlorhydria: report of 35 cases with long term follow up, **467**

ICAM-1, Heparin attenuates TNF-α induced inflammatory response through a CD11b dependent mechanism, **88**
IgG antitissue transglutaminase antibodies, IgG_1 antiendomysium and IgG antitissue transglutaminase (anti-tTG) antibodies in coeliac patients with selective IgA deficiency, **366**
ileo-anal pouch, Comparable expression of matrix metalloproteinases 1 and 2 in pouchitis and ulcerative colitis, **415**
ileus, Intestinal pseudo-obstruction, **84**
immune deficiency, Very late onset small intestinal B cell lymphoma associated with primary intestinal lymphangiectasia and diffuse cutaneous warts, **296**
immune response, Unsolved mysteries of intestinal M cells: *review,* **735**
immunocytochemistry, Interstitial cells of Cajal in enteric neurotransmission, **40**
immunofluorescent laser confocal microscopy, Antineutrophil antibodies associated with ulcerative colitis interact with the antigen(s) during the process of apoptosis, **74**
immunoglobulin A, Function of immunoglobulin A in immunity: *review,* **751**
immunohistochemistry, Evaluation of global DNA hypomethylation in human colon cancer tissues by immunohistochemistry and image analysis, **689**
Expression of interleukin 8 (IL-8) and substance P in human chronic pancreatitis, **423**
Expression of leptin and leptin receptor isoforms in the human stomach, **481**
immunomorphology, Characterisation of mucosal lymphoid aggregates in ulcerative colitis: immune cell phenotype and TcR-γδ expression, **215**
immunopathogenesis, Anti-hepatitis C virus core IgM antibodies correlate with hepatitis C recurrence and its severity in liver transplant patients, **698**
immunostaining, hMLH1 and hMSH2 immunostaining in colorectal cancer: *letter,* **315**
immunosuppressive therapy, Increased incidence of non-Hodgkin's lymphoma in inflammatory bowel disease patients on immunosuppressive therapy but overall risk is low, **514**
indomethacin, COX-2 inhibition with rofecoxib does not increase intestinal permeability in healthy subjects: a double blind crossover study comparing rofecoxib with placebo and indomethacin, **527**
inducible nitric oxide synthase, Inhibition of inducible nitric oxide synthase in the human intestinal epithelial cell line, DLD-1, by the inducers of heme oxygenase 1, bismuth salts, heme, and nitric oxide donors, **771**
infant microflora, Bifidobacterium strains from resident infant human gastrointestinal microflora exert antimicrobial activity, **646**
inflammation, A reproducible grading scale for histological assessment of inflammation in ulcerative colitis, **404**
Butyrate inhibits inflammatory responses through NFκB inhibition: implications for Crohn's disease, **397**
Effect of proinflammatory interleukins on jejunal nutrient transport, **184**
Neuroimmune alterations of ENS functioning, **63**
inflammatory bowel disease, A simple method for assessing intestinal inflammation in Crohn's disease, **506**
Epigenetics of inflammatory bowel disease, **302**
Functional genomics in gastroenterology: *leader,* **601**
Genetic analyses of chromosome 12 loci in Crohn's disease, **787**
Genetics of inflammatory bowel disease: a puzzle with contradictions?: *review,* **746**
Heparin and inflammation: a new use for an old GAG?: *commentary,* **14**
Heparin attenuates TNF-α induced inflammatory response through a CD11b dependent mechanism, **88**
Imbalance of stromelysin-1 and TIMP-1 in the mucosal lesions of children with inflammatory bowel disease, **57**
Increased incidence of non-Hodgkin's lymphoma in inflammatory bowel disease patients on immunosuppressive therapy but overall risk is low, **514**
Increased prevalence of methylenetetrahydrofolate reductase C677T variant in patients with IBD: *letter,* **456**
Marker antibody expression stratifies Crohn's disease into immunologically homogeneous subgroups with distinct clinical characteristics, **487**
MCP-3 in inflammatory bowel disease: *letter,* **155**
Microbe-host interactions in the alimentary tract: the gateway to understanding inflammatory bowel disease: *leader,* **162**
MMPs in the gut: inflammation hits the matrix: *commentary,* **12**
Mother to child transmission of anti- *S cerevisiae mannan antibodies (ASCA) in non-IBD families: letter,* **870**
Neurokinin-1 receptor expression in inflammatory bowel disease: molecular quantitation and localisation, **387**
The neurobiology of stress and gastrointestinal disease: *review,* **861**
Vitamin D receptor gene polymorphism: association with Crohn's disease susceptibility, **211**
inherited disorders, HFE gene mutation (C282Y) and phenotypic expression among a hospitalised population in a high prevalence area of haemochromatosis, **575**
inhibitory junction potential, Postjunctional electrical mechanisms of enteric neurotransmission, **23**
Postjunctional electrical mechanisms of enteric neurotransmission, **23**
insulin, Insulin and gall stones: a population case control study in southern Italy, **144**
integrins, Blockade of the integrin αLβ2 but not of integrins α4 and/or β7 significantly prolongs intestinal allograft survival in mice, **97**
interferon, Interferon therapy reduces the risk for hepatocellular carcinoma, **610**
interferon alpha, The science, economics, and effectiveness of combination therapy for hepatitis C: *leader,* **159**
interferon γ, IL-18 and IL-12 induce intestinal inflammation and fatty liver in mice in an IFN-γ dependent manner, **779**
interleukin 10, Non-pathogenic bacteria elicit a differential cytokine response by intestinal epithelial cell/leucocyte co-cultures, **79**
interleukin 12, Combined suicide and cytokine gene therapy for peritoneal carcinomatosis, **343**
Suicide and the not-so-innocent bystander: *review,* **327**
interleukin 1β, Non-pathogenic bacteria elicit a differential cytokine response by intestinal epithelial cell/leucocyte co-cultures, **79**
interleukin 2, Mucosal 5-aminosalicylic acid concentration inversely correlates with severity of colonic inflammation in patients with ulcerative colitis, **410**
interleukin 6, Interleukin 6 and liver regeneration: *review,* **309**
interleukin 8, Expression of interleukin 8 (IL-8) and substance P in human chronic pancreatitis, **423**
interleukin inflammatory bowel disease, Specific targeting of IL-6 signalling pathway: a new way to treat IBD?: *review,* **465**
interleukins, IL-18 and IL-12 induce intestinal inflammation and fatty liver in mice in an IFN-γ dependent manner, **779**
interneurones, Anatomy and physiology of the enteric nervous system, **15**
interobserver agreement, Diagnostic accuracy and interobserver agreement of CT colonography (virtual colonoscopy), **126**
interstitial cells of Cajal, Interstitial cells of Cajal in enteric neurotransmission, **40**
Postjunctional electrical mechanisms of enteric neurotransmission, **23**
Postjunctional electrical mechanisms of enteric neurotransmission, **23**
intestinal absorption, Effect of growth hormone and glutamine on the short bowel: five years later: *commentary,* **164**
Effect of high dose growth hormone with glutamine and no change in diet on intestinal absorption in short bowel patients: a randomised, double blind, crossover, placebo controlled study, **199**
intestinal adaptation, Elevated plasma glucagon-like peptide 1 and 2 concentrations in ileum resected short bowel patients with a preserved colon, **370**
intestinal blood flow, Sympathetic input into the enteric nervous system, **33**
intestinal cell proliferation, $Alpha_2$ adrenoceptors regulate proliferation of human intestinal epithelial cells, **242**
intestinal cells, Bifidobacterium strains from resident infant human gastrointestinal microflora exert antimicrobial activity, **646**
intestinal distension, Intestinal pseudo-obstruction, **84**
intestinal dysmotility, Local microcirculatory reflexes and afferent signalling in response to gastric acid challenge, **46**
intestinal epithelium, Stress and neuroimmune regulation of gut mucosal function, **49**
intestinal failure, Effect of growth hormone and glutamine on the short bowel: five years later: *commentary,* **164**
Effect of high dose growth hormone with glutamine and no change in diet on intestinal absorption in short bowel patients: a randomised, double blind, crossover, placebo controlled study, **199**
intestinal fluid transport, Sympathetic input into the enteric nervous system, **33**
intestinal inflammation, A simple method for assessing intestinal inflammation in Crohn's disease, **506**
Effect of proinflammatory interleukins on jejunal nutrient transport, **184**
IL-18 and IL-12 induce intestinal inflammation and fatty liver in mice in an IFN-γ dependent manner, **779**
intestinal injury, Potency and stability of C terminal truncated human epidermal growth factor, **622**
intestinal lymphangiectasia, Very late onset small intestinal B cell lymphoma associated with primary intestinal lymphangiectasia and diffuse cutaneous warts, **296**

intestinal M cells, Unsolved mysteries of intestinal M cells: *review,* **735**
intestinal motility, Sympathetic input into the enteric nervous system, **33**
intestinal permeability, COX-2 inhibition with rofecoxib does not increase intestinal permeability in healthy subjects: a double blind crossover study comparing rofecoxib with placebo and indomethacin, **527**
Glucagon-like peptide-2 enhances intestinal epithelial barrier function of both transcellular and paracellular pathways in the mouse, **112**
intestinal pseudo-obstruction, Developmental disorders of the enteric nervous system, **81**
intestinal reflexes, Control of peripheral sympathetic prevertebral ganglion neurones by colonic mechanosensory afferents, **28**
intestinal secretion, Effect of vasoactive intestinal polypeptide (VIP) antagonism on rat jejunal fluid and electrolyte secretion induced by cholera and *Escherichia coli* enterotoxins, **382**
intestinal transit, Elevated plasma glucagon-like peptide 1 and 2 concentrations in ileum resected short bowel patients with a preserved colon, **370**
intestinal villous atrophy, Immune reaction against the cytoskeleton in coeliac disease, **520**
intestine, Alcohol and retinoid metabolism: *commentary,* **748**
Imbalance of stromelysin-1 and TIMP-1 in the mucosal lesions of children with inflammatory bowel disease, **57**
Inhibition of retinol oxidation by ethanol in the rat liver and colon, **825**
Unsolved mysteries of intestinal M cells: *review,* **735**
intraepithelial lymphocytes, Is there any relationship between IEL and lymphoid follicles in the gastric mucosa?: *letter,* **314**
Unsolved mysteries of intestinal M cells: *review,* **735**
intraganglionic laminar endings, Vagal input to the enteric nervous system, **30**
intrinsic sensory neurones, Memory in the enteric nervous system, **60**
ion secretion, Stress and neuroimmune regulation of gut mucosal function, **49**
iron, Hepatic iron overload in aceruloplasminaemia, **858**
irritable bowel syndrome, A simple method for assessing intestinal inflammation in Crohn's disease, **506**
British Society of Gastroenterology guidelines for the management of the irritable bowel syndrome, **1**
Increased rectal mucosal enteroendocrine cells, T lymphocytes, and increased gut permeability following acute *Campylobacter* enteritis and in post-dysenteric irritable bowel syndrome, **804**
Memory in the enteric nervous system, **60**
Perceptual responses in patients with inflammatory and functional bowel disease, **497**
Spinal and supraspinal modulation of visceral sensation, **69**
The autonomic nervous system in functional bowel disorders, **78**
The neurobiology of stress and gastrointestinal disease: *review,* **861**
The role of psychosocial factors in gastrointestinal disorders, **73**
Visceral pain—peripheral sensitisation, **54**
Why the enteric nervous system is important to clinicians, **8**

jaundice, Co-amoxiclav jaundice: clinical and histological features and HLA class II association, **717**
khat, Acute *Fasciola hepatica* infection attributed to chewing khat: *review,* **584**
Ki-*ras* gene mutations, Detection of Ki-*ras* gene point mutations in bile specimens for the differential diagnosis of malignant and benign biliary strictures, **357**
Kit immunoreactivity, Interstitial cells of Cajal in enteric neurotransmission, **40**
K-*ras,* Frequency of $p16^{INK4A}$ alterations and k-*ras* mutations in intrahepatic cholangiocarcinoma of the liver, **721**

***Lactobacilli*,** Non-pathogenic bacteria elicit a differential cytokine response by intestinal epithelial cell/leucocyte co-cultures, **79**
lamivudine, Outcome of lamivudine resistant hepatitis B virus infection in liver transplant recipients in Singapore: *letter,* **741**
laser Doppler, Laser Doppler flowmetry is useful in the clinical management of small bowel transplantation, **580**
leptin, Expression of leptin and leptin receptor isoforms in the human stomach, **481**
Leptin secretion and leptin receptor in the human stomach, **178**
leptin receptor, Leptin secretion and leptin receptor in the human stomach, **178**
leptin receptor isoforms, Expression of leptin and leptin receptor isoforms in the human stomach, **481**
leucocytes, Non-pathogenic bacteria elicit a differential cytokine response by intestinal epithelial cell/leucocyte co-cultures, **79**
Lewis antigens, Role of fucosyltransferases in the association between apomucin and Lewis antigen expression in normal and malignant gastric epithelium, **349**
Lewis blood group antigens, Association of peptic ulcer with increased expression of Lewis antigens but not *cagA*, *iceA*, and *vacA* in *Helicobacter pylori* isolates in an Asian population, **18**
H pylori and Lewis antigens : *commentary,* **10**
linkage analyses, Genetic analyses of chromosome 12 loci in Crohn's disease, **787**
Genetics of inflammatory bowel disease: a puzzle with contradictions?: *review,* **746**
lipid peroxidation, Evidence of a systemic phenomenon for oxidative stress in cholestatic liver disease, **710**
lipid peroxides, Evidence of a systemic phenomenon for oxidative stress in cholestatic liver disease, **710**
lipopolysaccharide, Mechanisms of endotoxin tolerance in patients with alcoholic liver cirrhosis: role of interleukin 10, interleukin 1 receptor antagonist, and soluble tumour necrosis factor receptors as well as effector cell desensitisation, **281**
lipopolysaccharide desensitisation, Mechanisms of endotoxin tolerance in patients with alcoholic liver cirrhosis: role of interleukin 10, interleukin 1 receptor antagonist, and soluble tumour necrosis factor receptors as well as effector cell desensitisation, **281**
lithotripsy, Clearance of refractory bile duct stones with extracorporeal shockwave lithotripsy, **728**
liver cirrhosis, Assessment of efficiency and safety of adenovirus mediated gene transfer into normal and damaged murine livers, **563**
Improving prognosis in hepatorenal syndrome: *commentary,* **166**
Long term outcome after transjugular intrahepatic portosystemic stent-shunt in non-transplant cirrhotics with hepatorenal syndrome: a phase II study, **288**
Mechanisms of endotoxin tolerance in patients with alcoholic liver cirrhosis: role of interleukin 10, interleukin 1 receptor antagonist, and soluble tumour necrosis factor receptors as well as effector cell desensitisation, **281**
liver disease, Liver disease and pulmonary hypertension: *letter,* **595**
Quality of life measurement in gastrointestinal and liver disorders: *review,* **444**
The molecular genetics of familial intrahepatic cholestasis: *leader,* **1**
liver function, PBC: an infectious disease?: *review,* **586**
UDCA, PBC, and biochemistry, what does normal mean?: *letter,* **595**
liver infection, Acute *Fasciola hepatica* infection attributed to chewing khat: *review,* **584**
liver injury, TNF-α dependent production of inducible nitric oxide is involved in PGE_1 protection against acute liver injury, **553**
liver regeneration, Interleukin 6 and liver regeneration: *review,* **309**
liver transplantation, Effect on outcome of the lengthening waiting list for liver transplantation: *occasional viewpoint,* **441**
Needle tract recurrence of hepatocellular carcinoma after liver transplantation: *review,* **301**
l-ornithine-l-aspartate, Effect of l-ornithine-l-aspartate on patients with and without TIPS undergoing glutamine challenge: a double blind, placebo controlled trial, **571**
losartan, Losartan and renal sodium handling: *letter,* **596**
loss of heterozygosity, 5'-CpG island methylation of the *LKB1/STK11* promoter and allelic loss at chromosome 19p13.3 in sporadic colorectal cancer, **272**
lower oesophageal sphincter, A little rest and relaxation: *commentary,* **11**
Gastric emptying: a contributory factor in gastro-oesophageal reflux activity?, **661**
L-selectin, Heparin attenuates TNF-α induced inflammatory response through a CD11b dependent mechanism, **88**
Lugol voiding lesion, Association of *aldehyde dehydrogenase 2* gene polymorphism with multiple oesophageal dysplasia in head and neck cancer patients, **256**
lymphocyte activation, Inflammatory mediators in human acute pancreatitis: clinical and pathophysiological implications, **546**

macromolecular transport, Glucagon-like peptide-2 enhances intestinal epithelial barrier function of both transcellular and paracellular pathways in the mouse, **112**
malignant lymphoma, Very late onset small intestinal B cell lymphoma associated with primary intestinal lymphangiectasia and diffuse cutaneous warts, **296**
malondialdehyde, Evidence of a systemic phenomenon for oxidative stress in cholestatic liver disease, **710**
mast cells, Neuroimmune alterations of ENS functioning, **63**
Stress and neuroimmune regulation of gut mucosal function, **49**
matrilysin, Antimicrobial peptides in innate intestinal host defence: *science alert,* **16**
matrix metalloproteinases, Comparable expression of matrix metalloproteinases 1 and 2 in pouchitis and ulcerative colitis, **415**
Differential expression of matrix metalloproteinases and their tissue inhibitors in colon mucosa of patients with inflammatory bowel disease, **63**
Imbalance of stromelysin-1 and TIMP-1 in the mucosal lesions of children with inflammatory bowel disease, **57**
MMPs in the gut: inflammation hits the matrix: *commentary,* **12**
maturation, Cytokine gene expression during postnatal small intestinal development: regulation by glucocorticoids, **192**
measles, Measles, month of birth, and Crohn's disease, **801**
megacolon, Developmental disorders of the enteric nervous system, **81**
methotrexate, Increased incidence of non-Hodgkin's lymphoma in inflammatory bowel disease patients on immunosuppressive therapy but overall risk is low, **514**
methylation, Frequency of $p16^{INK4A}$ alterations and k-*ras* mutations in intrahepatic cholangiocarcinoma of the liver, **721**

Thiol methyltransferase activity in inflammatory bowel disease, **206**
methylenetetrahydrofolate reductase, Increased prevalence of methylenetetrahydrofolate reductase C677T variant in patients with IBD: *letter,* **456**
methylisothiourea, TNF-α dependent production of inducible nitric oxide is involved in PGE_1 protection against acute liver injury, **553**
mice, IL-18 and IL-12 induce intestinal inflammation and fatty liver in mice in an IFN-γ dependent manner, **779**
microarrays, Functional genomics in gastroenterology: *leader,* **601**
microbial infection, Bifidobacterium strains from resident infant human gastrointestinal microflora exert antimicrobial activity, **646**
microsatellite instability, DNA microsatellite instability and mismatch repair protein loss in adenomas presenting in hereditary non-polyposis colorectal cancer, **37**
Neoplastic progression occurs through mutator pathways in hyperplastic polyposis of the colorectum, **43**
Replication error phenotype in colorectal cancer: *letter,* **597**
migration, Embryology and development of the enteric nervous system, **12**
Role of urokinase and its receptor in basal and stimulated colonic epithelial cell migration in vitro, **105**
miscarriage, Coeliac disease and unfavourable outcome of pregnancy: *letter,* **598**
mismatch repair, DNA microsatellite instability and mismatch repair protein loss in adenomas presenting in hereditary non-polyposis colorectal cancer, **37**
mismatch repair genes, DNA mismatch repair genes and colorectal cancer: *review,* **148**
missense variant, The E-cadherin gene (*CDH1*) variants T340A and L599V in gastric and colorectal cancer patients in Korea, **262**
mitogen activated protein kinase, $Alpha_2$ adrenoceptors regulate proliferation of human intestinal epithelial cells, **242**
molecular genetics, The molecular genetics of familial intrahepatic cholestasis: *leader,* **1**
monocyte chemotactic protein 3, MCP-3 in inflammatory bowel disease: *letter,* **155**
motilin receptors, Receptors of the enteric nervous system: potential targets for drug therapy, **20**
motility, Why the enteric nervous system is important to clinicians, **8**
motorneurones, Anatomy and physiology of the enteric nervous system, **15**
mouse, Blockade of the integrin αLβ2 but not of integrins α4 and/or β7 significantly prolongs intestinal allograft survival in mice, **97**
mRNA, Functional genomics in gastroenterology: *leader,* **601**
MT1-MMP, Increased expression of collagenase-3 (MMP-13) and MT1-MMP in oesophageal cancer is related to cancer aggressiveness, **50**
mucin gene expression, Mucin gene expression in Barrett's oesophagus: an in situ hybridisation and immunohistochemical study, **753**
mucins, Coordinated localisation of mucins and trefoil peptides in the ulcer associated cell lineage and the gastrointestinal mucosa, **792**
Mucin gene expression in Barrett's oesophagus: an in situ hybridisation and immunohistochemical study, **753**
Mucins and mucosal protection in the gastrointestinal tract: new prospects for mucins in the pathology of gastrointestinal disease: *review,* **589**
mucosa, Laser Doppler flowmetry is useful in the clinical management of small bowel transplantation, **580**
MCP-3 in inflammatory bowel disease: *letter,* **155**
mucosal injury, Is the colonic reparative cell lineage yet to be discovered?: *occasional viewpoint,* **307**
mucosal protection, Mucins and mucosal protection in the gastrointestinal tract: new prospects for mucins in the pathology of gastrointestinal disease: *review,* **589**
mucositis, Chemotherapy for cancer causes apoptosis that precedes hypoplasia in crypts of the small intestine in humans, **632**
mucus, The role of polyamines in gastric mucus synthesis inhibited by cigarette smoke or its extract, **170**
multiple dysplasia, Association of *aldehyde dehydrogenase 2* gene polymorphism with multiple oesophageal dysplasia in head and neck cancer patients, **256**
mutant, Cytotoxic T lymphocyte responses and CTL epitope escape mutation in HBsAg, anti-HBe positive individuals, **137**
myenteric plexus, Neuroimmune alterations of ENS functioning, **63**
myofibroblast, Radiation induced cytochrome c release causes loss of rat colonic fluid absorption by damage to crypts and pericryptal myofibroblasts, **675**
myopathy, Intestinal pseudo-obstruction, **84**

natriuresis, Increased renal production of C-type natriuretic peptide (CNP) in patients with cirrhosis and functional renal failure, **852**
natural history, Natural history of early gastric cancer: a non-concurrent, long term, follow up study, **618**
Natural history of early gastric cancer: *commentary,* **609**
needle biopsy, Needle tract recurrence of hepatocellular carcinoma after liver transplantation: *review,* **301**
neural crest, Embryology and development of the enteric nervous system, **12**
neural tracing, Vagal input to the enteric nervous system, **30**
neurobiology, The neurobiology of stress and gastrointestinal disease: *review,* **861**
neurogenic inflammation, Expression of interleukin 8 (IL-8) and substance P in human chronic pancreatitis, **423**
neuroimmune, Neuroimmune alterations of ENS functioning, **63**
neurokinin-1 receptor, Neurokinin-1 receptor expression in inflammatory bowel disease: molecular quantitation and localisation, **387**
neurokinins, Visceral pain—central sensitisation, **56**
neuronal cell death, Restricted diet rescues rat enteric motor neurones from age related cell death, **653**
neuronal learning plasticity, Prostaglandins, COX-2, and sensory perception, **66**
neuropathy, Intestinal pseudo-obstruction, **84**
neuropeptides, Neuroimmune alterations of ENS functioning, **63**
neurotransmitters, Targets of enteric motor neurones: smooth muscle cells, **38**
NF-κB, Microbe-host interactions in the alimentary tract: the gateway to understanding inflammatory bowel disease: *leader,* **162**
nitrates, Receptors of the enteric nervous system: potential targets for drug therapy, **20**
nitric oxide, Inducible nitric oxide synthase: a little bit of good in all of us: *leader,* **6**
Inhibition of inducible nitric oxide synthase in the human intestinal epithelial cell line, DLD-1, by the inducers of heme oxygenase 1, bismuth salts, heme, and nitric oxide donors, **771**
Local microcirculatory reflexes and afferent signalling in response to gastric acid challenge, **46**
Neuroimmune alterations of ENS functioning, **63**
Targets of enteric motor neurones: smooth muscle cells, **38**
TNF-α dependent production of inducible nitric oxide is involved in PGE_1 protection against acute liver injury, **553**
nitric oxide synthase, Inducible nitric oxide synthase: a little bit of good in all of us: *leader,* **6**
NMDA receptors, Visceral pain—central sensitisation, **56**
non-alcoholic steatohepatitis, Dissecting out crytogenic liver disease: *commentary,* **328**
Pathological and virological findings in patients with persistent hypertransaminasaemia of unknown aetiology, **429**
non-Hodgkin's lymphoma, Increased incidence of non-Hodgkin's lymphoma in inflammatory bowel disease patients on immunosuppressive therapy but overall risk is low, **514**
Non-Hodgkin's lymphoma after immunosuppressive therapy: *commentary,* **462**
non-selective cation channels, Postjunctional electrical mechanisms of enteric neurotransmission, **23**
Postjunctional electrical mechanisms of enteric neurotransmission, **23**
non-steroidal anti-inflammatory drugs, COX-2 inhibition with rofecoxib does not increase intestinal permeability in healthy subjects: a double blind crossover study comparing rofecoxib with placebo and indomethacin, **527**
Sulindac and a cyclooxygenase-2 inhibitor, etodolac, increase APC mRNA in the colon of rats treated with azoxymethane, **812**
nuclear factor kappa B, Butyrate inhibits inflammatory responses through NFκB inhibition: implications for Crohn's disease, **397**
nutrition, Potency and stability of C terminal truncated human epidermal growth factor, **622**
N-acetyltransferase, Role of *N*-acetyltransferase polymorphisms in hepatitis B related hepatocellular carcinoma: impact of smoking on risk, **703**

obesity, No relation between body mass and gastro-oesophageal reflux symptoms in a Swedish population based study, **26**
oesophageal carcinoma, Association of *aldehyde dehydrogenase 2* gene polymorphism with multiple oesophageal dysplasia in head and neck cancer patients, **256**
Increased expression of collagenase-3 (MMP-13) and MT1-MMP in oesophageal cancer is related to cancer aggressiveness, **50**
oesophageal clearance, Gastric emptying: a contributory factor in gastro-oesophageal reflux activity?, **661**
oesophageal motor activity, Gastric emptying: a contributory factor in gastro-oesophageal reflux activity?, **661**
oesophageal ulcer, Thalidomide treatment of oesophageal ulceration: *letter,* **156**
oesophagus, Evaluation of prognosis of squamous cell carcinoma of the oesophagus by endoscopic ultrasonography, **120**
The Vienna classification of gastrointestinal epithelial neoplasia, **251**
omeprazole, No *H pylori*: less dyspepsia?: *commentary,* **461**
Re-epithelialisation of Barrett's oesophagus: *letter,* **741**
Short course acid suppressive treatment for patients with functional dyspepsia: results depend on *Helicobacter pylori* status, **473**
opioids, Postoperative ileus, **85**
organ complications, Inflammatory mediators in human acute pancreatitis: clinical and pathophysiological implications, **546**
ornithine decarboxylase, The role of polyamines in gastric mucus synthesis inhibited by cigarette smoke or its extract, **170**
orthotopic liver transplantation, Anti-hepatitis C virus core IgM antibodies correlate with hepatitis C recurrence and its severity in liver transplant patients, **698**

osteoarthritis, COX-2 inhibition with rofecoxib does not increase intestinal permeability in healthy subjects: a double blind crossover study comparing rofecoxib with placebo and indomethacin, **527**
O^6-methylguanine, Elevated levels of the pro-carcinogenic adduct, O^6-methylguanine, in normal DNA from the cancer prone regions of the large bowel, **362**
oxidative stress, Evidence of a systemic phenomenon for oxidative stress in cholestatic liver disease, **710**

p16, Frequency of $p16^{INK4A}$ alterations and k-*ras* mutations in intrahepatic cholangiocarcinoma of the liver, **721**
PAIR, Percutaneous drainage of echinococcal cysts (PAIR—puncture, aspiration, injection, reaspiration): results of a worldwide survey for assessment of its safety and efficacy: *letter,* **156**
pancreas divisum, Pancreas divisum: opinio divisa: *leader,* **317**
pancreatic necrosis, Inflammatory mediators in human acute pancreatitis: clinical and pathophysiological implications, **546**
pancreatitis, Inflammatory mediators in human acute pancreatitis: clinical and pathophysiological implications, **546**
parenteral nutrition, Effect of growth hormone and glutamine on the short bowel: five years later: *commentary,* **164**
Effect of high dose growth hormone with glutamine and no change in diet on intestinal absorption in short bowel patients: a randomised, double blind, crossover, placebo controlled study, **199**
pelvic plexus, Embryology and development of the enteric nervous system, **12**
pepsin, Heterogeneity of gastric histology and function in food cobalamin malabsorption: absence of atrophic gastritis and achlorhydria in some patients with severe malabsorption, **638**
peptic ulcer, Association of peptic ulcer with increased expression of Lewis antigens but not *cagA*, *iceA*, and *vacA* in *Helicobacter pylori* isolates in an Asian population, **18**
H pylori and Lewis antigens : *commentary,* **10**
peptides, Receptors of the enteric nervous system: potential targets for drug therapy, **20**
percutaneous liver biopsy, Liver biopsy under ultrasound control: *letter,* **455**
pericryptal sheath, Radiation induced cytochrome c release causes loss of rat colonic fluid absorption by damage to crypts and pericryptal myofibroblasts, **675**
peristalsis, Anatomy and physiology of the enteric nervous system, **15**
peritoneal carcinomatosis, Combined suicide and cytokine gene therapy for peritoneal carcinomatosis, **343**
Suicide and the not-so-innocent bystander: *review,* **327**
permeability, Stress and neuroimmune regulation of gut mucosal function, **49**
Peyer's patches, Enterohaemorrhagic *Escherichia coli* O157:H7 target Peyer's patches in humans and cause attaching/effacing lesions in both human and bovine intestine, **377**
photodynamic therapy, Photodynamic therapy for dysplastic Barrett's oesophagus: a prospective, double blind, randomised, placebo controlled trial, **612**
Phox2b, Embryology and development of the enteric nervous system, **12**
pituitary, The stomach talks with the pituitary: *review,* **168**
polymerase chain reaction, Differential expression of matrix metalloproteinases and their tissue inhibitors in colon mucosa of patients with inflammatory bowel disease, **63**
polyps, Gastrin and gastrin receptor activation: an early event in the adenoma-carcinoma sequence, **820**
Gastrin, growth, and colon neoplasia: *review,* **747**
population based cancer registries, Colorectal cancer survival in Europe: the Will Rogers phenomenon revisited: *commentary,* **463**
Understanding variations in survival for colorectal cancer in Europe: a EUROCARE high resolution study, **533**
population based study, No relation between body mass and gastro-oesophageal reflux symptoms in a Swedish population based study, **26**
portal hypertension, Improving prognosis in hepatorenal syndrome: *commentary,* **166**
Long term outcome after transjugular intrahepatic portosystemic stent-shunt in non-transplant cirrhotics with hepatorenal syndrome: a phase II study, **288**
portosystemic encephalopathy, Effect of l-ornithine-l-aspartate on patients with and without TIPS undergoing glutamine challenge: a double blind, placebo controlled trial, **571**
possum, Sphincter of Oddi dysfunction produces acute pancreatitis in the possum, **539**
postoperative ileus, Postoperative ileus, **85**
pouchitis, Comparable expression of matrix metalloproteinases 1 and 2 in pouchitis and ulcerative colitis, **415**
PPP2R1B gene, Alterations of the PPP2R1B gene located at 11q23 in human colorectal cancers, **268**
preascitic cirrhosis, Losartan and renal sodium handling: *letter,* **596**
pregnancy, Coeliac disease and unfavourable outcome of pregnancy: *letter,* **598**
Prevalence of hepatitis C among pregnant women attending an inner London obstetric department: uptake and acceptability of named antenatal testing, **277**
Screening and shouting about HCV: *commentary,* **165**
preoperative staging, Evaluation of prognosis of squamous cell carcinoma of the oesophagus by endoscopic ultrasonography, **120**
preprotachykinin A, Expression of interleukin 8 (IL-8) and substance P in human chronic pancreatitis, **423**
prevertebral ganglia, Control of peripheral sympathetic prevertebral ganglion neurones by colonic mechanosensory afferents, **28**
primary afferent neurones, Anatomy and physiology of the enteric nervous system, **15**
primary biliary cirrhosis, PBC: an infectious disease?: *review,* **586**
UDCA, PBC, and biochemistry, what does normal mean?: *letter,* **595**
prognosis, Evaluation of prognosis of squamous cell carcinoma of the oesophagus by endoscopic ultrasonography, **120**
Frequency of $p16^{INK4A}$ alterations and k-*ras* mutations in intrahepatic cholangiocarcinoma of the liver, **721**
Increased expression of collagenase-3 (MMP-13) and MT1-MMP in oesophageal cancer is related to cancer aggressiveness, **50**
prokinetics, Receptors of the enteric nervous system: potential targets for drug therapy, **20**
promoter hypermethylation, 5'-CpG island methylation of the *LKB1/STK11* promoter and allelic loss at chromosome 19p13.3 in sporadic colorectal cancer, **272**
prophylaxis, Outcome of lamivudine resistant hepatitis B virus infection in liver transplant recipients in Singapore: *letter,* **741**
prostaglandin E_1, TNF-α dependent production of inducible nitric oxide is involved in PGE_1 protection against acute liver injury, **553**
prostaglandins, Cyclooxygenase (COX) 1 and 2 in normal, inflamed, and ulcerated human gastric mucosa, **762**
Prostaglandins, COX-2, and sensory perception, **66**
protein kinase C, Role of urokinase and its receptor in basal and stimulated colonic epithelial cell migration in vitro, **105**
protein losing enteropathy, Very late onset small intestinal B cell lymphoma associated with primary intestinal lymphangiectasia and diffuse cutaneous warts, **296**
protein phosphatase, Alterations of the PPP2R1B gene located at 11q23 in human colorectal cancers, **268**
proteinomics, Functional genomics in gastroenterology: *leader,* **601**
protein-serine-threonine kinase gene *LKB1/STK11*, 5'-CpG island methylation of the *LKB1/STK11* promoter and allelic loss at chromosome 19p13.3 in sporadic colorectal cancer, **272**
proton pump inhibitors, Proton pump inhibitors for Barrett's oesophagus: *letter,* **154**
protoporphyrin IX, Photodynamic therapy for dysplastic Barrett's oesophagus: a prospective, double blind, randomised, placebo controlled trial, **612**
proximal stomach, Gastric emptying: a contributory factor in gastro-oesophageal reflux activity?, **661**
P-selectin, Heparin attenuates TNF-α induced inflammatory response through a CD11b dependent mechanism, **88**
psychological effects, Brain-gut axis as an example of the bio-psycho-social model, **5**
psychological factors, Functional dyspepsia—a conceptual framework, **3**
psychological life events, The role of psychosocial factors in gastrointestinal disorders, **73**
psychotherapy, The role of psychosocial factors in gastrointestinal disorders, **73**

quality of life, Quality of life measurement in gastrointestinal and liver disorders: *review,* **444**
Short course acid suppressive treatment for patients with functional dyspepsia: results depend on *Helicobacter pylori* status, **473**
questionnaire, Quality of life measurement in gastrointestinal and liver disorders: *review,* **444**

radiation, Radiation induced cytochrome c release causes loss of rat colonic fluid absorption by damage to crypts and pericryptal myofibroblasts, **675**
randomised controlled trial, Short course acid suppressive treatment for patients with functional dyspepsia: results depend on *Helicobacter pylori* status, **473**
ranitidine, No *H pylori*: less dyspepsia?: *commentary,* **461**
Short course acid suppressive treatment for patients with functional dyspepsia: results depend on *Helicobacter pylori* status, **473**
recombinant human tissue transglutaminase, Development of a novel rapid non-invasive screening test for coeliac disease, **628**
reinfection, Outcome of lamivudine resistant hepatitis B virus infection in liver transplant recipients in Singapore: *letter,* **741**
renal failure, Improving prognosis in hepatorenal syndrome: *commentary,* **166**
Long term outcome after transjugular intrahepatic portosystemic stent-shunt in non-transplant cirrhotics with hepatorenal syndrome: a phase II study, **288**
renal function, Increased renal production of C-type natriuretic peptide (CNP) in patients with cirrhosis and functional renal failure, **852**
renal haemodynamics, Losartan and renal sodium handling: *letter,* **596**
repair, Coordinated localisation of mucins and trefoil peptides in the ulcer associated cell lineage and the gastrointestinal mucosa, **792**
Is the colonic reparative cell lineage yet to be discovered?: *occasional viewpoint,* **307**

replication error phenotype, Replication error phenotype in colorectal cancer: *letter,* **597**
replication study, Genetic analyses of chromosome 12 loci in Crohn's disease, **787**
Genetics of inflammatory bowel disease: a puzzle with contradictions?: *review,* **746**
restricted diet, Restricted diet rescues rat enteric motor neurones from age related cell death, **653**
retinoic acid, Alcohol and retinoid metabolism: *commentary,* **748**
Inhibition of retinol oxidation by ethanol in the rat liver and colon, **825**
retinol, Alcohol and retinoid metabolism: *commentary,* **748**
Inhibition of retinol oxidation by ethanol in the rat liver and colon, **825**
ribavirin, Management of the HIV-HCV coinfected patient: *commentary,* **608**
Safety and efficacy of interferon-ribavirin combination therapy in HCV-HIV coinfected subjects: an early report, **694**
The science, economics, and effectiveness of combination therapy for hepatitis C: *leader,* **159**
rofecoxib, COX-2 inhibition with rofecoxib does not increase intestinal permeability in healthy subjects: a double blind crossover study comparing rofecoxib with placebo and indomethacin, **527**

safety, Assessment of efficiency and safety of adenovirus mediated gene transfer into normal and damaged murine livers, **563**
scoring system, A reproducible grading scale for histological assessment of inflammation in ulcerative colitis, **404**
screening, Coeliac disease and unfavourable outcome of pregnancy: *letter,* **598**
HFE gene mutation (C282Y) and phenotypic expression among a hospitalised population in a high prevalence area of haemochromatosis, **575**
Prevalence of hepatitis C among pregnant women attending an inner London obstetric department: uptake and acceptability of named antenatal testing, **277**
Screening and shouting about HCV: *commentary,* **165**
secretin, Leptin secretion and leptin receptor in the human stomach, **178**
secretomotor, Anatomy and physiology of the enteric nervous system, **15**
selective IgA deficiency, IgG_1 antiendomysium and IgG antitissue transglutaminase (anti-tTG) antibodies in coeliac patients with selective IgA deficiency, **366**
sensitisation, Brain-gut axis as an example of the bio-psycho-social model, **5**
sensory adaptation, Differences in gastric mechanosensory function after repeated ramp distensions in non-consulters with dyspepsia and healthy controls, **332**
Distension in non-consulting dyspeptics: a swell idea: *commentary,* **326**
sensory function, Differences in gastric mechanosensory function after repeated ramp distensions in non-consulters with dyspepsia and healthy controls, **332**
Distension in non-consulting dyspeptics: a swell idea: *commentary,* **326**
sensory neurones, Local microcirculatory reflexes and afferent signalling in response to gastric acid challenge, **46**
sensory responses, Prostaglandins, COX-2, and sensory perception, **66**
serial neurotransmission, Interstitial cells of Cajal in enteric neurotransmission, **40**
short bowel syndrome, Effect of growth hormone and glutamine on the short bowel: five years later: *commentary,* **164**
Effect of high dose growth hormone with glutamine and no change in diet on intestinal absorption in short bowel patients: a randomised, double blind, crossover, placebo controlled study, **199**
Elevated plasma glucagon-like peptide 1 and 2 concentrations in ileum resected short bowel patients with a preserved colon, **370**
silent nociceptors, Visceral pain—peripheral sensitisation, **54**
small bowel transplantation, Blockade of the integrin $\alpha L\beta 2$ but not of integrins $\alpha 4$ and/or $\beta 7$ significantly prolongs intestinal allograft survival in mice, **97**
Laser Doppler flowmetry is useful in the clinical management of small bowel transplantation, **580**
small intestine, Chemotherapy for cancer causes apoptosis that precedes hypoplasia in crypts of the small intestine in humans, **632**
Cytokine gene expression during postnatal small intestinal development: regulation by glucocorticoids, **192**
Effect of proinflammatory interleukins on jejunal nutrient transport, **184**
The intestinal mucosa as a target and trigger for enteric reflexes, **44**
smoking, Role of *N*-acetyltransferase polymorphisms in hepatitis B related hepatocellular carcinoma: impact of smoking on risk, **703**
smooth muscle, Functional assessment of β adrenoceptor subtypes in human colonic circular and longitudinal (taenia coli) smooth muscle, **337**
Immune reaction against the cytoskeleton in coeliac disease, **520**
smooth muscle innervation, Targets of enteric motor neurones: smooth muscle cells, **38**
sodium retention, Losartan and renal sodium handling: *letter,* **596**
somatisation, Brain-gut axis as an example of the bio-psycho-social model, **5**
sphincter of Oddi, Sphincter of Oddi dysfunction produces acute pancreatitis in the possum, **539**
spinal cord, Visceral pain—central sensitisation, **56**
sporadic colorectal adenocarcinoma, 5'-CpG island methylation of the *LKB1/STK11* promoter and allelic loss at chromosome 19p13.3 in sporadic colorectal cancer, **272**
squamous cell carcinoma, Evaluation of prognosis of squamous cell carcinoma of the oesophagus by endoscopic ultrasonography, **120**
stage at diagnosis, Understanding variations in survival for colorectal cancer in Europe: a EUROCARE high resolution study, **533**
statistical genetics, Mother to child transmission of anti- *S cerevisiae mannan antibodies (ASCA) in non-IBD families: letter,* **870**
stavudine, Management of the HIV-HCV coinfected patient: *commentary,* **608**
Safety and efficacy of interferon-ribavirin combination therapy in HCV-HIV coinfected subjects: an early report, **694**
stomach, Cyclooxygenase (COX) 1 and 2 in normal, inflamed, and ulcerated human gastric mucosa, **762**
The stomach talks with the pituitary: *review,* **168**
The Vienna classification of gastrointestinal epithelial neoplasia, **251**
stress, Stress and neuroimmune regulation of gut mucosal function, **49**
The neurobiology of stress and gastrointestinal disease: *review,* **861**
The role of psychosocial factors in gastrointestinal disorders, **73**
substance P, Expression of interleukin 8 (IL-8) and substance P in human chronic pancreatitis, **423**
Neuroimmune alterations of ENS functioning, **63**
Neurokinin-1 receptor expression in inflammatory bowel disease: molecular quantitation and localisation, **387**
Visceral pain—central sensitisation, **56**
supraspinal pain modulation, Spinal and supraspinal modulation of visceral sensation, **69**
surgery, Understanding variations in survival for colorectal cancer in Europe: a EUROCARE high resolution study, **533**
survival, Colorectal cancer survival in Europe: the Will Rogers phenomenon revisited: *commentary,* **463**
Hepatitis C virus related cirrhosis: time to occurrence of hepatocellular carcinoma and death, **131**
Understanding variations in survival for colorectal cancer in Europe: a EUROCARE high resolution study, **533**
sustained slow postsynaptic excitation, Memory in the enteric nervous system, **60**
sympathetic ganglia, Control of peripheral sympathetic prevertebral ganglion neurones by colonic mechanosensory afferents, **28**
sympathetic nervous system, Sympathetic input into the enteric nervous system, **33**

T cell receptor $\gamma\delta$, Characterisation of mucosal lymphoid aggregates in ulcerative colitis: immune cell phenotype and TcR-$\gamma\delta$ expression, **215**
T lymphocytes, Increased rectal mucosal enteroendocrine cells, T lymphocytes, and increased gut permeability following acute *Campylobacter* enteritis and in post-dysenteric irritable bowel syndrome, **804**
tacrolimus, Topical tacrolimus may be effective in the treatment of oral and perineal Crohn's disease, **436**
taenia coli, Functional assessment of β adrenoceptor subtypes in human colonic circular and longitudinal (taenia coli) smooth muscle, **337**
thalidomide, Thalidomide treatment of oesophageal ulceration: *letter,* **156**
thiol methyltransferase, Thiol methyltransferase activity in inflammatory bowel disease, **206**
thymidine kinase, Combined suicide and cytokine gene therapy for peritoneal carcinomatosis, **343**
Suicide and the not-so-innocent bystander: *review,* **327**
tissue inhibitor of metalloproteinase, Imbalance of stromelysin-1 and TIMP-1 in the mucosal lesions of children with inflammatory bowel disease, **57**
tissue inhibitor of metalloproteinases, MMPs in the gut: inflammation hits the matrix: *commentary,* **12**
tolerance, Blockade of the integrin $\alpha L\beta 2$ but not of integrins $\alpha 4$ and/or $\beta 7$ significantly prolongs intestinal allograft survival in mice, **97**
training, ERCP training—time for change: *leader,* **459**
transduction efficiency, Assessment of efficiency and safety of adenovirus mediated gene transfer into normal and damaged murine livers, **563**
transferrin saturation, HFE gene mutation (C282Y) and phenotypic expression among a hospitalised population in a high prevalence area of haemochromatosis, **575**
transfusion, Timing of transfusion, anti-HBc, and hepatitis C virus related hepatocellular carcinoma: *letter,* **313**
transjugular intrahepatic portosystemic shunt, Effect of l-ornithine-l-aspartate on patients with and without TIPS undergoing glutamine challenge: a double blind, placebo controlled trial, **571**

transjugular intrahepatic portosystemic stent-shunt, Improving prognosis in hepatorenal syndrome: *commentary*, **166**
Long term outcome after transjugular intrahepatic portosystemic stent-shunt in non-transplant cirrhotics with hepatorenal syndrome: a phase II study, **288**
transmission, Prevalence of hepatitis C among pregnant women attending an inner London obstetric department: uptake and acceptability of named antenatal testing, **277**
Screening and shouting about HCV: *commentary*, **165**
trefoil peptides, Coordinated localisation of mucins and trefoil peptides in the ulcer associated cell lineage and the gastrointestinal mucosa, **792**
Is the colonic reparative cell lineage yet to be discovered?: *occasional viewpoint*, **307**
tropomyosin, Autoantibodies against the specific epitope of human tropomyosin(s) detected by a peptide based enzyme immunoassay in sera of patients with ulcerative colitis show antibody dependent cell mediated cytotoxicity against HLA-DPw9 transfected L cells, **236**
tumour necrosis factor, Mechanisms of endotoxin tolerance in patients with alcoholic liver cirrhosis: role of interleukin 10, interleukin 1 receptor antagonist, and soluble tumour necrosis factor receptors as well as effector cell desensitisation, **281**
Non-pathogenic bacteria elicit a differential cytokine response by intestinal epithelial cell/leucocyte co-cultures, **79**
tumour necrosis factor α, TNF-α dependent production of inducible nitric oxide is involved in PGE_1 protection against acute liver injury, **553**
tumour suppressor gene, Alterations of the PPP2R1B gene located at 11q23 in human colorectal cancers, **268**
5'-CpG island methylation of the *LKB1/STK11* promoter and allelic loss at chromosome 19p13.3 in sporadic colorectal cancer, **272**

ulcer associated cell lineage, Coordinated localisation of mucins and trefoil peptides in the ulcer associated cell lineage and the gastrointestinal mucosa, **792**
Is the colonic reparative cell lineage yet to be discovered?: *occasional viewpoint*, **307**
ulceration, Cyclooxygenase (COX) 1 and 2 in normal, inflamed, and ulcerated human gastric mucosa, **762**
ulcerative colitis, A reproducible grading scale for histological assessment of inflammation in ulcerative colitis, **404**
Antineutrophil antibodies associated with ulcerative colitis interact with the antigen(s) during the process of apoptosis, **74**
Autoantibodies against the specific epitope of human tropomyosin(s) detected by a peptide based enzyme immunoassay in sera of patients with ulcerative colitis show antibody dependent cell mediated cytotoxicity against HLA-DPw9 transfected L cells, **236**
Bax is downregulated in inflamed colonic mucosa of ulcerative colitis, **228**
Characterisation of mucosal lymphoid aggregates in ulcerative colitis: immune cell phenotype and TcR-γδ expression, **215**
Differential expression of matrix metalloproteinases and their tissue inhibitors in colon mucosa of patients with inflammatory bowel disease, **63**
Epigenetics of inflammatory bowel disease, **302**
Functional genomics in gastroenterology: *leader*, **601**
Marker antibody expression stratifies Crohn's disease into immunologically homogeneous subgroups with distinct clinical characteristics, **487**
MMPs in the gut: inflammation hits the matrix: *commentary*, **12**
Mother to child transmission of anti- *S cerevisiae mannan antibodies (ASCA) in non-IBD families: letter*, **870**
Mucosal 5-aminosalicylic acid concentration inversely correlates with severity of colonic inflammation in patients with ulcerative colitis, **410**
Perceptual responses in patients with inflammatory and functional bowel disease, **497**
Thiol methyltransferase activity in inflammatory bowel disease, **206**
Why the enteric nervous system is important to clinicians, **8**
ulcers, The role of polyamines in gastric mucus synthesis inhibited by cigarette smoke or its extract, **170**
ultrasound, Liver biopsy under ultrasound control: *letter*, **455**
urease test, One minute unbuffered urease test: should it be read at 10 minutes?: *letter*, **155**
urokinase, Role of urokinase and its receptor in basal and stimulated colonic epithelial cell migration in vitro, **105**
urokinase receptor, Role of urokinase and its receptor in basal and stimulated colonic epithelial cell migration in vitro, **105**
ursodeoxycholic acid, UDCA, PBC, and biochemistry, what does normal mean?: *letter*, **595**

***vacA*; *Helicobacter pylori*,** Association of peptic ulcer with increased expression of Lewis antigens but not *cagA*, *iceA*, and *vacA* in *Helicobacter pylori* isolates in an Asian population, **18**
vagal afferents, Vagal input to the enteric nervous system, **30**
vagal tone, Functional dyspepsia—a conceptual framework, **3**
vagus nerve, The intestinal mucosa as a target and trigger for enteric reflexes, **44**
vasoactive intestinal peptide, Targets of enteric motor neurones: smooth muscle cells, **38**
vasoactive intestinal polypeptide, Effect of vasoactive intestinal polypeptide (VIP) antagonism on rat jejunal fluid and electrolyte secretion induced by cholera and *Escherichia coli* enterotoxins, **382**
VCAM-1, Heparin attenuates TNF-α induced inflammatory response through a CD11b dependent mechanism, **88**
visceral hyperalgesia, Differences in gastric mechanosensory function after repeated ramp distensions in non-consulters with dyspepsia and healthy controls, **332**
Distension in non-consulting dyspeptics: a swell idea: *commentary*, **326**
visceral hypersensitivity, Functional dyspepsia—a conceptual framework, **3**
Spinal and supraspinal modulation of visceral sensation, **69**
visceral myopathy, Developmental disorders of the enteric nervous system, **81**
visceral neuropathy, Developmental disorders of the enteric nervous system, **81**
visceral nociceptors, Visceral pain—central sensitisation, **56**
visceral pain, Visceral pain—central sensitisation, **56**
visceral sensory neurones, Visceral pain—peripheral sensitisation, **54**
vitamin D, Vitamin D receptor gene polymorphism: association with Crohn's disease susceptibility, **211**

waiting lists, Effect on outcome of the lengthening waiting list for liver transplantation: *occasional viewpoint*, **441**
Waldmann disease, Very late onset small intestinal B cell lymphoma associated with primary intestinal lymphangiectasia and diffuse cutaneous warts, **296**
weaning, Cytokine gene expression during postnatal small intestinal development: regulation by glucocorticoids, **192**

zidovudine, Management of the HIV-HCV coinfected patient: *commentary*, **608**
Safety and efficacy of interferon-ribavirin combination therapy in HCV-HIV coinfected subjects: an early report, **694**